



18 NEW
PRODUCT
SUPPLEMENT

 AYRE



For additional information please visit ayrelight.com/custom

CUSTOM CONTRACT DESIGN

AYRE Lighting Group embraces a design-based approach to develop innovative custom energy efficient lighting solutions for the hospitality industry. Working with designers, architects, and specifiers, we utilize a collaborative workflow to create and deliver fixtures that meet your project goals and budget.

design • engineering • manufacturing

Discuss your next CUSTOM project with us

hospitality • commercial • residential



AYRE Lighting Group, Inc.

14 Bristol Drive, Unit B
South Easton, Massachusetts 02375


All designs, images, photography, logos,
and written material that appear in this catalog,
as well as on ayrelight.com are protected by copyright

© 2018 AYRE Lighting Group, Inc. All rights reserved.

For CUSTOM INQUIRIES, information and
technical assistance, please contact us at:
info@ayrelight.com or 877.722.AYRE [2973]

Charter

ADA CUSTOM OPTIONS



The Charter sconce delivers energy efficient LED lighting in a traditional form with full dimmability. The refined aesthetic enables the Charter to fit beautifully within a variety of designed spaces.

DIMENSIONS

25.30"H x 4.50"W x 3.98"P

LAMPING / VOLTAGE

[1] 21W LED Strip, 1512 Lumens (Nominal),
3000K, 120V, ELV Dimming

FINISH

Satin Brass, Brushed Nickel, Polished Nickel,
Polished Chrome

DIFFUSER

Clear Glass with Shiny Opal Acrylic

Customize this fixture to your specific needs



Finish shown: Polished Nickel



Fixture can be mounted VERTICALLY or HORIZONTALLY




AYRE Lighting Group, Inc.
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Charter


ADA CUSTOM OPTIONS



Fixture can be mounted VERTICALLY or HORIZONTALLY

Est. Weight: 8.50 lbs

MODEL
CHARTER SCONCE // CHA1



DIMENSIONS
Height: 25.30
Width: 4.50
Projection: 3.98

FIXTURE TYPE
ADA Sconce / A

DIFFUSER
Clear Glass / CL with
Shiny Opal Acrylic / SA


FINISH
Satin Brass / SB
Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE
LED / LED
[1] 21W LED Strip Module,
120V, ELV Dimming
*See Installation Instructions for
recommended LED dimmers




RELATED PRODUCTS


PORTER SCONCE // POR1




STUDIO SCONCE // STU1
ADA



CIRC DUO R // CIRDR
ADA




CIRC PENDANT // CIRP



Morgan

CUSTOM OPTIONS



The Morgan, a farmhouse inspired sconce, takes its design cues from traditional hand tools while balancing soft details like the opal glass diffuser from antique glass vessels. The knurled collar invites the user to touch and tighten the glass diffuser to its body. An energy efficient LED light engine illuminates the closed diffuser.

DIMENSIONS

13.75"H x 6.50"W x 7.70"P

LAMPING / VOLTAGE

[1] 10W Integrated LED, 850 Lumens (Nominal),
3000K, 120V, ELV Dimming

FINISH

Satin Brass, Brushed Nickel, Polished Nickel,
Polished Chrome

DIFFUSER

Cased Matte Opal Glass


Customize this fixture to your specific needs



AYRE Lighting Group, Inc.
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548


ayrelight.com



Fixture can be mounted vertically UP or DOWN

Est. Weight: 4.25 lbs

MODEL
MORGAN SCONCE // MOR1



DIMENSIONS

Height: 13.75
Width: 6.50
Projection: 7.70

FIXTURE TYPE

Sconce / S

DIFFUSER

Cased Matte Opal Glass / CM

FINISH

Satin Brass / SB
Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE

LED / LED
[1] 10W LED Module, 120V,
ELV Dimming

*See Installation Instructions for
recommended LED dimmers




Damp Location Rating


RELATED PRODUCTS

CHARTER SCONCE // CHA1


ADA




PARK SCONCE // PAR1



SIENA 2 SCONCE // SIE2




PORTER SCONCE // POR1



Pixie

ADA CUSTOM OPTIONS



The Pixie packs 2 zones of LED lighting. The upper diffuser can be independently controlled providing guidance as a soft nightlight.

DIMENSIONS

20.20"H x 5.00"W x 3.95"P

LAMPING / VOLTAGE

[1] 10W Integrated LED, 850 Lumens (Nominal),
3000K, 120V, ELV Dimming
1W Nightlight, 3000K

*Nightlight can be wired to a separate switch for independent control. Review instruction manual.

FINISH

Satin Brass, Brushed Nickel, Polished Chrome

DIFFUSER

Matte Opal Glass


Customize this fixture to your specific needs



AYRE Lighting Group, Inc.
14 Bristol Drive, Unit B
South Easton, MA 02375


Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com



Est. Weight: 3.50 lbs

MODEL
PIXIE SCONCE // PIX1



DIMENSIONS
Height: 20.20
Width: 5.00
Projection: 3.95

FIXTURE TYPE
ADA Sconce / A

DIFFUSER
Matte Opal Glass / MO

FINISH
Satin Brass / SB
Brushed Nickel / BN
Polished Chrome / CH


LAMPING / VOLTAGE
LED / LED
[1] 10W LED Module, 120V,
ELV Dimming w/Nightlight
*See Installation Instructions for
recommended LED dimmers




Damp Location Rating

RELATED PRODUCTS


CIRC SCONCE // CIR1
ADA




CLIK SCONCE // CLK 1
ADA



REFLEX SCONCE // REF1
ADA




CIRC PENDANT // CIRP



Porter

CUSTOM OPTIONS



The Porter sconce packs energy efficiency and modern technology into a classic form. Offered in two diffuser finishes, the custom LED engine illuminates your choice of either a clear or cased matte opal glass globe.

DIMENSIONS

13.90"H x 8.00"W x 8.83"P

LAMPING / VOLTAGE

[1] 10W Integrated LED, 850 Lumens (Nominal),
3000K, 120V, ELV Dimming

FINISH

Satin Brass, Brushed Nickel, Polished Nickel,
Polished Chrome

DIFFUSER

Clear Glass
Cased Matte Opal Glass

Customize this fixture to your specific needs



Finish shown: Polished Nickel




AYRE Lighting Group, Inc.
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Porter

CUSTOM OPTIONS




Fixture can be mounted vertically UP or DOWN

Est. Weight: 4.25 lbs

MODEL

PORTER SCONCE // POR1



DIMENSIONS

Height: 10.14
Width: 8.00

FIXTURE TYPE

Sconce / S

DIFFUSER

Clear Glass / CL
Cased Matte Opal Glass / CM

FINISH

Satin Brass / SB
Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE


LED / LED
[1] 10W LED Module, 120V,
ELV Dimming
*See Installation Instructions for
recommended LED dimmers




Damp Location Rating

RELATED PRODUCTS


CHARTER SCONCE // CHA1
ADA




CLIK SCONCE // CLK 1
ADA



REFLEX SCONCE // REF1
ADA




CIRC PENDANT // CIRP



Porter PENDANT

CUSTOM OPTIONS



The Porter Pendant packs energy efficiency and modern technology into a classic form. Offered in two diffuser finishes, the custom LED engine illuminates your choice of either a clear or cased matte opal glass globe.

DIMENSIONS

13.90"H x 8.00"W

6ft Field adjustable cord

LAMPING / VOLTAGE

[1] 10W Integrated LED, 850 Lumens (Nominal),
3000K, 120V, ELV Dimming

FINISH

Satin Brass, Brushed Nickel, Polished Nickel,
Polished Chrome

DIFFUSER

Clear Glass

Cased Matte Opal Glass

Customize this fixture to your specific needs




AYRE Lighting Group, Inc.
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com


Porter PENDANT

CUSTOM OPTIONS



Est. Weight: 4.25 lbs

MODEL
PORTER PENDANT // PORP



DIMENSIONS
Height: 10.15
Diameter: 8.00

FIXTURE TYPE
Pendant / P

DIFFUSER
Clear Glass / CL
Cased Matte Opal Glass / CM

FINISH
Satin Brass / SB
Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE
LED / LED
[1] 10W LED Module, 120V,
ELV Dimming
*See Installation Instructions for
recommended LED dimmers



Damp Location Rating

RELATED PRODUCTS





PORTER SCNCE // POR1

CLIK SCNCE // CLK 1

ADA

NAKED PENDANT // NAK1

CIRC PENDANT // CIRP





AYRE Lighting Group, Inc.
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
info@ayrelight.com

ayrelight.com

Revo

ADA CUSTOM OPTIONS



REVO is a surface mounted series offered in two sizes. This low profile radial firing LED fixture separates itself from its peers with a precise bezel detail on its face, bringing an element of refinement to this simple form. Clean and even illumination is achieved through Light Guide Technology.

DIMENSIONS

Revo11 - 11.00"D x 1.60"P

Revo18 - 18.00"D x 1.60"P

LAMPING / VOLTAGE

Revo11

[1] 25W LED, 1010 Lumens (Delivered), 3000K,
120/277V, ELV/TRIAC/0-10V UNV. Dimming

Revo18

[1] 38W LED, 1968 Lumens (Delivered), 3000K,
120/277V, ELV/TRIAC/0-10V UNV. Dimming

FINISH

Satin Brass, Brushed Nickel, Polished Chrome

DIFFUSER

Matte Opal Acrylic with *Light Guide Technology*

Customize this fixture to your specific needs

Surface mount can be mounted on CEILING or WALL







Finish shown: Brushed Nickel



AYRE Lighting Group, Inc.
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548


ayrelight.com



Surface mount can be mounted on CEILING or WALL

Est. Weight:
11" - 5.00 lbs
18" - 11.50 lbs

MODEL
REVO 11 // REVO11




DIMENSIONS
Diameter: 11.00
Projection: 1.60

FIXTURE TYPE
ADA / A


DIFFUSER
Matte Opal Acrylic / MA
w/ Light Guide Technology

FINISH
Satin Brass / SB
Brushed Nickel / BN
Polished Chrome / CH

LAMPING / VOLTAGE
LED / LED
[1] 25W 1010lm, 120/277V,
UNV. Dimming
ELV/TRIAC/0-10V



MODEL
REVO 18 // REVO18



DIMENSIONS
Diameter: 18.00
Projection: 1.60

FIXTURE TYPE
ADA / A

DIFFUSER
Matte Opal Acrylic / MA
w/ Light Guide Technology


FINISH
Satin Brass / SB
Brushed Nickel / BN
Polished Chrome / CH

LAMPING / VOLTAGE
LED / LED
[1] 38W 1968lm, 120/277V,
UNV. Dimming
ELV/TRIAC/0-10V



Axis

ADA CUSTOM OPTIONS



The AXIS is a unique and modern linear fixture. The directional body provides movement and functional light to any space. The AXIS can be installed in pairs on either side of a mirror as well as in a horizontal orientation from above. It is also a great solution for hospitality and corridor spaces.

LAMPING / VOLTAGE

AXIS18

[1] 24W LED Strip, 1728 Lumens (Nominal),
3000K, 120V, ELV dimming

AXIS24

[1] 24W Fluorescent T5HO Bipin Base
1860 Lumens (Nominal), 3000K, 120V,
non-dimming

[1] 30W LED Strip, 1900 Lumens (Nominal),
3000K, 120V, ELV dimming

AXIS30

[1] 36W LED Strip, 2592 Lumens (Nominal),
3000K, 120V, ELV dimming

AXIS36

[1] 45W LED Strip, 3240 Lumens (Nominal),
3000K, 120V, ELV dimming

AXIS48

[1] 60W LED Strip, 4320 Lumens (Nominal),
3000K, 120V, ELV dimming

FINISH

Brushed Nickel, Polished Nickel, Polished Chrome

DIFFUSER

Matte Opal Acrylic

Customize this fixture to your specific needs

*Requires standard single gang jbox
installed in same orientation as fixture

Fixture can be mounted VERTICALLY or HORIZONTALLY



Finish shown: Polished Chrome



AYRE Lighting Group, Inc.
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548


ayrelight.com

Axis

ADA CUSTOM OPTIONS

MODEL

AXIS SCONCE // AXIS18



DIMENSIONS

Height: 18.00
Width: 2.60
Projection: 2.45

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

Matte Opal Acrylic / MA

FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

Est. Weight: 3.00


LAMPING / VOLTAGE

LED / LED
[1] 24W LED Strip Module,
120V, ELV dimming
*See Installation Instructions for
recommended LED dimmers



MODEL

AXIS SCONCE // AXIS24



DIMENSIONS

Height: 24.00
Width: 2.60
Projection: 2.45

FIXTURE TYPE

ADA Sconce / A

DIFFUSER


Matte Opal Acrylic / MA


FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

Est. Weight: 3.50 lbs


LAMPING / VOLTAGE

FLUORESCENT / FL 
[1] 24W Fluorescent T5HO
Bipin Base, 120V,
non-dimming

LED / LED 
[1] 30W LED Strip Module,
120V, ELV dimming
*See Installation Instructions for
recommended LED dimmers

MODEL

AXIS SCONCE // AXIS30



DIMENSIONS

Height: 30.00
Width: 2.60
Projection: 2.45

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

Matte Opal Acrylic / MA

FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

Est. Weight: 4.50


LAMPING / VOLTAGE

LED / LED
[1] 36W LED Strip Module,
120V, ELV dimming
*See Installation Instructions for
recommended LED dimmers



MODEL

AXIS SCONCE // AXIS36



DIMENSIONS

Height: 36.00
Width: 2.60
Projection: 2.45

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

Matte Opal Acrylic / MA

FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

Est. Weight: 6.00


LAMPING / VOLTAGE

LED / LED
[1] 45W LED Strip Module,
120V, ELV dimming
*See Installation Instructions for
recommended LED dimmers



MODEL

AXIS SCONCE // AXIS48



DIMENSIONS

Height: 48.00
Width: 2.60
Projection: 2.45

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

Matte Opal Acrylic / MA

FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

Est. Weight: 9.00 lbs

LAMPING / VOLTAGE

LED / LED
[1] 60W LED Strip Module,
120V, ELV dimming
*See Installation Instructions for
recommended LED dimmers




Fixture can be mounted VERTICALLY or HORIZONTALLY

*Requires standard single gang jbox
installed in same orientation as fixture

Refer to the instructions for correct
j-box placement and installation

Icon

ADA CUSTOM OPTIONS



The ICON linear has a familiar aesthetic at first glance, making it a great choice for transitional and contemporary spaces. The full-length diffuser appears to float off of its slim framework. Available in a variety of lengths to compliment all standard mirrors/cabinets in the market.

LAMPING / VOLTAGE

ICON18

[1] 21W LED Strip, 1512 Lumens (Nominal),
3000K, 120V, ELV dimming

ICON24

[1] 24W Fluorescent T5HO Bipin Base
1860 Lumens (Nominal), 3000K, 120V,
non-dimming

[1] 30W LED Strip, 1900 Lumens (Nominal),
3000K, 120V, ELV dimming

ICON30

[1] 36W LED Strip, 2592 Lumens (Nominal),
3000K, 120V, ELV dimming

ICON36

[1] 45W LED Strip, 3240 Lumens (Nominal),
3000K, 120V, ELV dimming

ICON48

[1] 60W LED Strip, 4320 Lumens (Nominal),
3000K, 120V, ELV dimming

FINISH

Brushed Nickel, Polished Nickel, Polished Chrome
*Satin Brass (see tech specs)

DIFFUSER

Matte Opal Acrylic

Customize this fixture to your specific needs

*Requires standard single gang jbox
installed in same orientation as fixture

*Satin Brass finish may require longer leadtimes

Fixture can be mounted VERTICALLY or HORIZONTALLY



Finish shown: Polished Chrome




AYRE Lighting Group, Inc.
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

MODEL
ICON SCONCE // ICON18



DIMENSIONS

Height: 18.00
Width: 2.60
Projection: 2.35

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

Matte Opal Acrylic / MA

FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH


Est. Weight: 3.00

LAMPING / VOLTAGE

LED / LED
[1] 21W LED Strip Module,
120V, ELV dimming
*See Installation Instructions for
recommended LED dimmers



MODEL
ICON SCONCE // ICON24



DIMENSIONS

Height: 24.00
Width: 2.60
Projection: 2.35

FIXTURE TYPE

ADA Sconce / A

DIFFUSER


Matte Opal Acrylic / MA


FINISH

Satin Brass / SB
Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH


Est. Weight: 3.50 lbs

LAMPING / VOLTAGE

FLUORESCENT / FL 
[1] 24W Fluorescent T5HO
Bipin Base, 120V
non-dimming

LED / LED 
[1] 30W LED Strip Module,
120V, ELV dimming
*See Installation Instructions for
recommended LED dimmers

MODEL
ICON SCONCE // ICON30



DIMENSIONS

Height: 30.00
Width: 2.60
Projection: 2.35

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

Matte Opal Acrylic / MA

FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH


Est. Weight: 4.50

LAMPING / VOLTAGE

LED / LED
[1] 36W LED Strip Module,
120V, ELV dimming
*See Installation Instructions for
recommended LED dimmers



MODEL
ICON SCONCE // ICON36



DIMENSIONS

Height: 36.00
Width: 2.60
Projection: 2.35

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

Matte Opal Acrylic / MA

FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH


Est. Weight: 6.00

LAMPING / VOLTAGE

LED / LED
[1] 45W LED Strip Module,
120V, ELV dimming
*See Installation Instructions for
recommended LED dimmers



MODEL
ICON SCONCE // ICON48



DIMENSIONS

Height: 48.00
Width: 2.60
Projection: 2.35

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

Matte Opal Acrylic / MA

FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

Est. Weight: 9.00 lbs

LAMPING / VOLTAGE

LED / LED
[1] 60W LED Strip Module,
120V, ELV dimming
*See Installation Instructions for
recommended LED dimmers



Fixture can be mounted VERTICALLY or HORIZONTALLY

*Requires standard single gang j-box
installed in same orientation as fixture

*Satin Brass finish may require longer leadtimes





AYRE Lighting Group, Inc.

14 Bristol Drive, Unit B
South Easton, Massachusetts 02375

For CUSTOM INQUIRIES, information and technical assistance, please contact us at:

info@ayrelight.com or 877.722.AYRE [2973]

For additional information please visit ayrelight.com.

All designs, images, photography, logos, and written material that appear in this catalog, as well as on ayrelight.com are protected by copyright © 2016 Ayre Architectural Lighting. All rights reserved.

AYRE Lighting Group, Inc.

AYRE Lighting Group embraces a design-based approach to develop innovative custom energy efficient lighting solutions. Utilizing a collaborative workflow, AYRE creates the design envelope to deliver highly efficient lighting technologies into the architectural space. Lighting as a component of the actively designed, sustainable space requires the integration of leading-edge LED light engines and control technologies within specific design constraints while employing state of the art manufacturing techniques. AYRE excels in navigating these complex areas with unique design, proprietary engineering and manufacturing insights drawn from extensive experience in developing innovative sustainable solutions. Our commitment to energy-saving, environmentally friendly technologies supports the goals of LEED certification and best practices in the eco-sensitive building industry.

AYRE Lighting Group has significant experience in a range of manufacturing disciplines, with the flexibility to address smaller projects as well as the ability to scale to the largest construction projects. AYRE is well positioned to address the market demand that comes with increasing national and international brand awareness and the desire for cutting edge designs mandated by newly legislated standards. From design development through engineering to conscientious manufacturing for a sustainable environment, the AYRE team brings concepts to reality. Simply stated, AYRE delivers innovative lighting solutions with efficiency, creativity and a respect for real world project deadlines and budgets.

STANDARD PRODUCT

SEMI CUSTOM | FULL CUSTOM



CIRC SINGLE PENDANT



MULTI PENDANT
NAKED PENDANT



LUXURY BATH
EURO 3 SCONCE


Luxury Bath: Designing Light

When designing a light fixture aimed at improving the quality of light for personal grooming in the bathroom, there are three qualities to consider.

QUALITY

The placement of the light fixture within the grooming environment is an important factor in providing a proper distribution of functional light. Single fixtures illuminating the face from the left and right will evenly distribute light on the face while minimizing unsightly shadowing from overhead lights.


Ayre bath fixtures take advantage of long tubular glass diffusers that are designed to fully illuminate the face. The length of glass provides a uniform quality of light when paired with our recommended warm, fluorescent lamping.



OUTPUT

In the modern workplace and home, luminance levels commonly range from between 10 and 100 FC [foot-candles]. In the bathroom, when functioning as a task light for personal grooming, the recommended light output averages 50FC.

Ayre Bath fixtures have been specifically designed to provide the required levels of light to enhance the grooming experience.



Luxury Bath: Designing Light

Designing our fixtures around the recommended quality, output, and color of light has given Ayre a distinct advantage in the quality of bathroom fixtures available today.

COLOR

Color temperature is a very important piece of the puzzle. For grooming environments, a warm/soft fluorescent light with a value between 2700K-3100K [Kelvin] will closely match the quality of natural light.









LUXURY BATH
PARK SCONCE



LUXURY BATH
EURO 3 SCONCE



CUSTOM CONTRACT DESIGN

AYRE Lighting Group embraces a design-based approach to develop innovative custom energy efficient lighting solutions for the hospitality industry. Utilizing a collaborative workflow, AYRE creates the DESIGN ENVELOPE to deliver highly efficient lighting technologies into the architectural space.

We have broken down our collaborative workflow into 5 easy steps.

01. BRIEFING

Understanding your project goals: We start by clearly understanding your fixture types and needs, installation space, time-lines, and client deliverables.

02. RESEARCH

AYRE brings insight and expertise in lighting design, technology, and project experience to help determine and qualify the project goals for you and your client.

03. CREATE

Develop concepts through sketches, mock-ups, orthographic drawings, and photo-realistic renderings to visualize your product before costly tooling and physical sampling.

04. DEVELOP

Through a collaborative workflow we will review design directions and develop a final product through visual aids and physical prototypes bringing your fixture to life.

05. PRODUCE

Reviews, final approvals, packaging, installation instructions and quality control are all part of our custom practices. Shipping and manufacturing logistics help you get your delivery on time to meet project deadlines. Once shipped AYRE provides installation support and continued support post project for you and your clients.

design • engineering • manufacturing

Discuss your next **CUSTOM** project with us

hospitality • commercial • residential



Custom Lighting

Mosaic Pendants



Custom Lighting
Bath Sconce




Custom Lighting

Mosaic Pendant




Custom Lighting
Custom Litebox



LINEAR LED
ICON 24" SCONCE

Axis 18

ADA CUSTOM OPTIONS



The AXIS is a unique and modern linear fixture. The directional body provides movement and functional light to any space. The AXIS can be installed in pairs on each side of a mirror as well as in a horizontal orientation from above. It is also a great solution for hospitality and corridor spaces.

DIMENSIONS

18.00"H x 2.60"W x 2.45"P

LAMPING / VOLTAGE

[1] 24W LED Strip, 1728 Lumens, 3000K,
120V, dimming

*See Installation Instructions for recommended LED dimmers

FINISH

Brushed Nickel, Polished Nickel, Polished Chrome

DIFFUSER

Matte Opal Acrylic

Customize this fixture to your specific needs

*Requires standard single gang jbox
installed in same orientation as fixture

Fixture can be mounted VERTICALLY or HORIZONTALLY



Finish shown: Polished Chrome




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Axis 18

ADA CUSTOM OPTIONS



*Requires standard single gang jbox installed in same orientation as fixture


Refer to the instructions for correct j-box placement and installation requirements.

Fixture can be mounted VERTICALLY or HORIZONTALLY

Est. Weight: 3.00 lbs

MODEL

AXIS SCONCE // AXIS18



DIMENSIONS

Height: 18.00
Width: 2.60
Projection: 2.45

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

Matte Opal Acrylic / MA

FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE

LED / LED
[1] 24W LED Strip Module, 120V, dimming


*See Installation Instructions for recommended LED dimmers



RELATED PRODUCTS


CIRC SCONCE // CIR1

ADA




LUXE DUO // LUXD

ADA




REFLEX SCONCE // REF1

ADA



ICON SCONCE // ICON18

ADA




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Axis 24

ADA CUSTOM OPTIONS



The AXIS is a unique and modern linear fixture. The directional body provides movement and functional light to any space. The AXIS can be installed in pairs on each side of a mirror as well as in a horizontal orientation from above. It is also a great solution for hospitality and corridor spaces.

DIMENSIONS

24.00"H x 2.60"W x 2.45"P

LAMPING / VOLTAGE

- [1] 24W Fluorescent T5HO Bipin Base
1860 Lumens, 3000K, 120V, non-dimming
- [1] 30W LED Strip, 1900 Lumens, 3000K,
120V, dimming

*See Installation Instructions for recommended LED dimmers

FINISH

Brushed Nickel, Polished Nickel, Polished Chrome

DIFFUSER

Matte Opal Acrylic

Customize this fixture to your specific needs

*Requires standard single gang jbox
installed in same orientation as fixture

Fixture can be mounted VERTICALLY or HORIZONTALLY



Finish shown: Polished Chrome




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Axis 24

ADA CUSTOM OPTIONS










*Requires standard single gang jbox installed in same orientation as fixture

Refer to the instructions for correct j-box placement and installation requirements.

Fixture can be mounted VERTICALLY or HORIZONTALLY


Est. Weight: 3.50 lbs

<p>MODEL AXIS SCONCE // AXIS24</p> 	<p>DIMENSIONS Height: 24.00 Width: 2.60 Projection: 2.45</p> <p>FIXTURE TYPE ADA Sconce / A</p> <p>DIFFUSER Matte Opal Acrylic / MA</p>	<p>FINISH Brushed Nickel / BN Polished Nickel / PN Polished Chrome / CH</p>	<p>LAMPING / VOLTAGE FLUORESCENT / FL  [1] 24W Fluorescent T5HO Bipin Base, 120V, non-dimming</p> <p>LED / LED  [1] 30W LED Strip Module, 120V, dimming *See Installation Instructions for recommended LED dimmers</p>
---	--	--	---

<p>RELATED PRODUCTS</p> <p>CIRC SCONCE // CIR1 ADA</p> 	<p>CLIK SCONCE // CLK 1 ADA</p> 	<p>REFLEX SCONCE // REF1 ADA</p> 	<p>ICON SCONCE // ICON24 ADA</p> 
---	---	---	--

Axis 30

ADA CUSTOM OPTIONS



The AXIS is a unique and modern linear fixture. The directional body provides movement and functional light to any space. The AXIS can be installed in pairs on each side of a mirror as well as in a horizontal orientation from above. It is also a great solution for hospitality and corridor spaces.

DIMENSIONS

30.00"H x 2.60"W x 2.45"P

LAMPING / VOLTAGE

[1] 36W LED Strip, 2592 Lumens, 3000K,
120V, dimming

*See Installation Instructions for recommended LED dimmers

FINISH

Brushed Nickel, Polished Nickel, Polished Chrome

DIFFUSER

Matte Opal Acrylic

Customize this fixture to your specific needs

*Requires standard single gang jbox
installed in same orientation as fixture

Fixture can be mounted VERTICALLY or HORIZONTALLY



Finish shown: Polished Chrome




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Axis 30

ADA CUSTOM OPTIONS




*Requires standard single gang jbox installed in same orientation as fixture

Refer to the instructions for correct j-box placement and installation requirements.

Fixture can be mounted VERTICALLY or HORIZONTALLY

Est. Weight: 4.50 lbs

MODEL
AXIS SCONCE // AXIS30



DIMENSIONS
Height: 30.00
Width: 2.60
Projection: 2.45

FIXTURE TYPE
ADA Sconce / A

DIFFUSER
Matte Opal Acrylic / MA


FINISH
Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE
LED / LED
[1] 36W LED Strip Module, 120V, dimming
*See Installation Instructions for recommended LED dimmers




RELATED PRODUCTS


CIRC SCONCE // CIR1
ADA




ICON SCONCE // ICON30
ADA



REFLEX SCONCE // REF1
ADA




CIRC PENDANT // CIRP



Axis 36

ADA CUSTOM OPTIONS



The AXIS is a unique and modern linear fixture. The directional body provides movement and functional light to any space. The AXIS can be installed in pairs on each side of a mirror as well as in a horizontal orientation from above. It is also a great solution for hospitality and corridor spaces.

DIMENSIONS

36.00"H x 2.60"W x 2.45"P

LAMPING / VOLTAGE

[1] 45W LED Strip, 3240 Lumens, 3000K,
120V, dimming

*See Installation Instructions for recommended LED dimmers

FINISH

Brushed Nickel, Polished Nickel, Polished Chrome

DIFFUSER

Matte Opal Acrylic

Customize this fixture to your specific needs

*Requires standard single gang jbox
installed in same orientation as fixture

Fixture can be mounted VERTICALLY or HORIZONTALLY



Finish shown: Polished Chrome




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Axis 36

ADA CUSTOM OPTIONS




*Requires standard single gang jbox installed in same orientation as fixture

Refer to the instructions for correct j-box placement and installation requirements.

Fixture can be mounted VERTICALLY or HORIZONTALLY

Est. Weight: 6.00 lbs

MODEL
AXIS SCONCE // AXIS36



DIMENSIONS
Height: 36.00
Width: 2.60
Projection: 2.45

FIXTURE TYPE
ADA Sconce / A

DIFFUSER
Matte Opal Acrylic / MA


FINISH
Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE
LED / LED
[1] 45W LED Strip Module, 120V, dimming
*See Installation Instructions for recommended LED dimmers




RELATED PRODUCTS


CIRC SCONCE // CIR1
ADA




CLIK SCONCE // CLK 1
ADA



REFLEX SCONCE // REF1
ADA



ICON SCONCE // ICON36
ADA




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Axis 48

ADA CUSTOM OPTIONS



The AXIS is a unique and modern linear fixture. The directional body provides movement and functional light to any space. The AXIS can be installed in pairs on each side of a mirror as well as in a horizontal orientation from above. It is also a great solution for hospitality and corridor spaces.

DIMENSIONS

48.00"H x 2.60"W x 2.45"P

LAMPING / VOLTAGE

[1] 60W LED Strip, 4320 Lumens, 3000K,
120V, dimming

*See Installation Instructions for recommended LED dimmers

FINISH

Brushed Nickel, Polished Nickel, Polished Chrome

DIFFUSER

Matte Opal Acrylic

Customize this fixture to your specific needs
May require longer leadtime

*Requires standard single gang jbox
installed in same orientation as fixture

Fixture can be mounted VERTICALLY or HORIZONTALLY



Finish shown: Polished Chrome




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Axis 48

ADA CUSTOM OPTIONS




*Requires standard single gang jbox installed in same orientation as fixture

Refer to the instructions for correct j-box placement and installation requirements.

Fixture can be mounted VERTICALLY or HORIZONTALLY

Est. Weight: 9.00 lbs

MODEL
AXIS SCONCE // AXIS48



DIMENSIONS
Height: 48.00
Width: 2.60
Projection: 2.45

FIXTURE TYPE
ADA Sconce / A

DIFFUSER
Matte Opal Acrylic / MA


FINISH
Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE
LED / LED
[1] 60W LED Strip Module, 120V, dimming
*See Installation Instructions for recommended LED dimmers




RELATED PRODUCTS


CIRC SCONCE // CIR1
ADA




CLIK SCONCE // CLK 1
ADA



REFLEX SCONCE // REF1
ADA



ICON SCONCE // ICON48
ADA




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Boutique Arcadia

ADA CUSTOM OPTIONS



The Arcadia sconce is offered in a variety of distinctive wood species, metal finishes and lamping options. Arcadia focuses attention on conservation and sustainability. We use repurposed and renewable wood, reclaimed and recycled aluminum, and offer the option of energy efficient fluorescent or LED technology.

DIMENSIONS

15.00"H x 8.13"W x 3.90"P

LAMPING / VOLTAGE

- [1] 60W Max Incandescent Candelabra Base
610 Lumens, 2700K, 120V, dimming
- [1] 18/26/32W Fluorescent CFL GX24q-3 Base
1200/1800/2400 Lumens, 3000K, 120V
non-dimming
- [1] 12.5W LED Module
1200 Lumens, 3000K, 120V, non-dimming

FINISH

Polished Aluminum, Brushed Aluminum,
Oil Rubbed Bronze
+
Mahogany, Sapele, Bamboo, Ebony

DIFFUSER

White Shantung
Acrylic Available (additional cost)

Available as a double sconce



Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375


Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com


Boutique Arcadia

ADA CUSTOM OPTIONS

MODEL
ARCADIA SCONCE // ARC1



MODEL
ARCADIA SCONCE // ARCD




This fixture mounts independently from diffuser/backplate. The outlet box is located behind the diffuser.

Refer to the instructions for correct j-box placement and installation requirements.

Est. Weight: 3.75 lbs

MODEL
ARCADIA SCONCE // ARC1



DIMENSIONS
Height: 15.00
Width: 8.13
Projection: 3.90

FIXTURE TYPE
ADA Sconce / A

DIFFUSER
White Shantung / WS

FINISH
Polished Aluminum / PA
Brushed Aluminum / BA
Oil Rubbed Bronze / OB

WOOD
Mahogany / MH
Bamboo / BB
Sapele / SP
Ebony / EB

LAMPING / VOLTAGE
INCANDESCENT / INC
[1] 60W Candelabra Base
120V, dimming
FLUORESCENT / FL
[1] CFL 18/26/32W GX24q-3
Base, 120V, non-dimming
LED / LED
[1] 12.5W Module, 3000K
120V, non-dimming





RELATED PRODUCTS

ARCADIA SCONCE // ARCD
ADA

KYOTO SCONCE // KYO1
ADA


LYRIC SCONCE // LYR1
ADA

SIENA SCONCE // SIE1
ADA



Boutique Azura

ADA CUSTOM OPTIONS



The Azura sconce is offered in a variety of distinctive wood species, metal finishes, and lamping options. Azura focuses attention on conservation and sustainability. We use repurposed and renewable wood, reclaimed and recycled aluminum, and offer the option of energy efficient fluorescent or LED technology.

DIMENSIONS

12.50"H x 8.13"W x 3.90"P

LAMPING / VOLTAGE

- [1] 60W Max Incandescent Candelabra Base
610 Lumens, 2700K, 120V, dimming
- [1] 18/26/32W Fluorescent CFL GX24q-3 Base
1200/1800/2400 Lumens, 3000K, 120V
non-dimming
- [1] 12.5W LED Module
1200 Lumens, 3000K, 120V, non-dimming

FINISH

Polished Aluminum, Brushed Aluminum,
Oil Rubbed Bronze
+
Mahogany, Sapele, Ebony

DIFFUSER

White Shantung
Acrylic Available (additional cost)

Available as a double sconce




Wood species shown: Mahogany


Boutique Azura

ADA CUSTOM OPTIONS

MODEL
AZURA SCONCE // AZU1



MODEL
AZURA SCONCE // AZUD




This fixture mounts independently from diffuser/backplate. The outlet box is located behind the diffuser.

Refer to the instructions for correct j-box placement and installation requirements.

Est. Weight: 3.75 lbs

MODEL
AZURA SCONCE // AZU1



DIMENSIONS

Height: 12.50
Width: 8.13
Projection: 3.90

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

White Shantung / WS

FINISH

Polished Aluminum / PA
Brushed Aluminum / BA
Oil Rubbed Bronze / OB

WOOD

Mahogany / MH
Sapele / SP
Ebony / EB

LAMPING / VOLTAGE

INCANDESCENT / INC
[1] 60W Candelabra Base
120V, dimming

FLUORESCENT / FL
[1] CFL 18/26/32W GX24q-3
Base, 120V, non-dimming

LED / LED
[1] 12.5W Module, 3000K
120V, non-dimming


RELATED PRODUCTS

AZURA SCONCE // AZUD
ADA

KYOTO SCONCE // KYO1
ADA


LYRIC SCONCE // LYR1
ADA

SIENA SCONCE // SIE1
ADA



Boutique Capri

ADA CUSTOM OPTIONS



The Capri sconce is offered in a variety of distinctive wood species, metal finishes, and lamping options. Capri focuses attention on conservation and sustainability. We use repurposed and renewable wood, reclaimed and recycled aluminum, and offer the option of energy efficient fluorescent or LED technology.

DIMENSIONS

13.75"H x 8.13"W x 3.90"P

LAMPING / VOLTAGE

- [1] 60W Max Incandescent Candelabra Base
610 Lumens, 2700K, 120V, dimming
- [1] 18/26/32W Fluorescent CFL GX24q-3 Base
1200/1800/2400 Lumens, 3000K, 120V
non-dimming
- [1] 12.5W LED Module
1200 Lumens, 3000K, 120V, non-dimming

FINISH

Polished Aluminum, Brushed Aluminum,
Oil Rubbed Bronze
+
Mahogany, Sapele, Ebony

DIFFUSER

White Shantung
Acrylic Available (additional cost)


Available as a double sconce




Boutique Capri

ADA CUSTOM OPTIONS

MODEL
CAPRI SCONCE // CAP1



MODEL
CAPRI SCONCE // CAPD




This fixture mounts independently from diffuser/backplate. The outlet box is located behind the diffuser.

Refer to the instructions for correct j-box placement and installation requirements.

Est. Weight: 3.75 lbs

MODEL
CAPRI SCONCE // CAP1



DIMENSIONS

Height: 13.75
Width: 8.13
Projection: 3.90

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

White Shantung / WS


FINISH


Polished Aluminum / PA
Brushed Aluminum / BA
Oil Rubbed Bronze / OB

WOOD

Mahogany / MH
Bamboo / BB
Sapele / SP
Ebony / EB

LAMPING / VOLTAGE


INCANDESCENT / INC 
[1] 60W Candelabra Base
120V, dimming

FLUORESCENT / FL 
[1] CFL 18/26/32W GX24q-3
Base, 120V, non-dimming


LED / LED
[1] 12.5W Module, 3000K
120V, non-dimming

RELATED PRODUCTS


CAPRI SCONCE // CAPD
ADA




KYOTO SCONCE // KYO1
ADA



LYRIC SCONCE // LYR1
ADA




SIENA SCONCE // SIE1
ADA



Boutique Dia

ADA CUSTOM OPTIONS



The Dia sconce is offered in a variety of distinctive wood species, metal finishes, and lamping options. Dia focuses attention on conservation and sustainability. We use repurposed and renewable wood, reclaimed and recycled aluminum, and offer the option of energy efficient fluorescent or LED technology.

DIMENSIONS

13.83"H x 8.13"W x 3.90"P

LAMPING / VOLTAGE

- [1] 60W Max Incandescent Candelabra Base
610 Lumens, 2700K, 120V, dimming
- [1] 18/26/32W Fluorescent CFL GX24q-3 Base
1200/1800/2400 Lumens, 3000K, 120V
non-dimming
- [1] 12.5W LED Module
1200 Lumens, 3000K, 120V, non-dimming

FINISH

Polished Aluminum, Brushed Aluminum,
Oil Rubbed Bronze
+
Mahogany, Sapele, Bamboo, Ebony

DIFFUSER

White Shantung
Acrylic Available (additional cost)


Available as a double sconce




Boutique Dia

ADA CUSTOM OPTIONS

MODEL
DIA SCONCE // DIA1



MODEL
DIA SCONCE // DIAD




This fixture mounts independently from diffuser/backplate. The outlet box is located behind the diffuser.

Refer to the instructions for correct j-box placement and installation requirements.

Est. Weight: 3.65 lbs

MODEL
DIA SCONCE // DIA1



DIMENSIONS

Height: 13.83
Width: 8.13
Projection: 3.90

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

White Shantung / WS

FINISH

Polished Aluminum / PA
Brushed Aluminum / BA
Oil Rubbed Bronze / OB

WOOD

Mahogany / MH
Bamboo / BB
Sapele / SP
Ebony / EB

LAMPING / VOLTAGE


INCANDESCENT / INC
[1] 60W Candelabra Base
120V, dimming

FLUORESCENT / FL
[1] CFL 18/26/32W GX24q-3
Base, 120V, non-dimming


LED / LED
[1] 12.5W Module, 3000K
120V, non-dimming

RELATED PRODUCTS


DIA SCONCE // DIAD
ADA




KYOTO SCONCE // KYO1
ADA



LYRIC SCONCE // LYR1
ADA




SIENA SCONCE // SIE1
ADA



Boutique Helika

ADA CUSTOM OPTIONS



The Helika sconce is offered in a variety of distinctive metal finishes, and lamping options. Simplicity, functionality, and minimalism are all attributes of this ADA sconce. Manufactured of reclaimed and recycled aluminum. It is offered in energy efficient fluorescent, LED, as well as incandescent lamping.

DIMENSIONS

14.25"H x 8.13"W x 3.90"P

LAMPING / VOLTAGE

- [1] 60W Max Incandescent Candelabra Base
610 Lumens, 2700K, 120V, dimming
- [1] 18/26/32W Fluorescent CFL GX24q-3 Base
1200/1800/2400 Lumens, 3000K, 120V
non-dimming
- [1] 12.5W LED Module
1200 Lumens, 3000K, 120V, non-dimming

FINISH

Polished Aluminum, Brushed Aluminum,
Oil Rubbed Bronze

DIFFUSER

White Shantung
Acrylic Available (additional cost)


Available as a double sconce




Boutique Helika

ADA CUSTOM OPTIONS

MODEL
HELIKA SCONCE // HEL1



MODEL
HELIKA SCONCE // HELD




This fixture mounts independently from diffuser/backplate. The outlet box is located behind the diffuser.

Refer to the instructions for correct j-box placement and installation requirements.

Est. Weight: 3.91 lbs

MODEL
HELIKA SCONCE // HEL1



DIMENSIONS

Height: 14.25
Width: 8.13
Projection: 3.90

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

White Shantung / WS

FINISH

Polished Aluminum / PA
Brushed Aluminum / BA
Oil Rubbed Bronze / OB

LAMPING / VOLTAGE

INCANDESCENT / INC
[1] 60W Candelabra Base
120V, dimming


FLUORESCENT / FL
[1] CFL 18/26/32W GX24q-3
Base, 120V, non-dimming

LED / LED
[1] 12.5W Module, 3000K
120V, non-dimming

RELATED PRODUCTS


HELIKA SCONCE // HELD

ADA




KYOTO SCONCE // KYO1

ADA




LYRIC SCONCE // LYR1

ADA




SIENA SCONCE // SIE1

ADA



Boutique Rio

ADA CUSTOM OPTIONS



The Rio is a distinctive machined aluminum sconce with wonderful industrial-chic styling. It is a piece transformed by its finishes. In polished aluminum, a sophistication takes over and redefines Rio as a piece of absolute elegance. In Architectural Bronze it becomes an exercise in classicism.

DIMENSIONS

15.50"H x 8.13"W x 3.90"P

LAMPING / VOLTAGE

- [1] 60W Max Incandescent Candelabra Base
610 Lumens, 2700K, 120V, dimming
- [1] 18/26/32W Fluorescent CFL GX24q-3 Base
1200/1800/2400 Lumens, 3000K, 120V
non-dimming
- [1] 12.5W LED Module
1200 Lumens, 3000K, 120V, non-dimming

FINISH

Polished Aluminum, Brushed Aluminum,
Oil Rubbed Bronze

DIFFUSER

White Shantung
Acrylic Available (additional cost)

Available as a double sconce




Finish shown: Polished Aluminum




Boutique Rio

ADA CUSTOM OPTIONS

MODEL
RIO SCONCE // RIO1



MODEL
RIO SCONCE // RIOD




This fixture mounts independently from diffuser/backplate. The outlet box is located behind the diffuser.

Refer to the instructions for correct j-box placement and installation requirements.

Est. Weight: 4.59 lbs

MODEL
RIO SCONCE // RIO1



DIMENSIONS

Height: 15.50
Width: 8.13
Projection: 3.90

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

White Shantung / WS

FINISH

Polished Aluminum / PA
Brushed Aluminum / BA
Oil Rubbed Bronze / OB

LAMPING / VOLTAGE


INCANDESCENT / INC
[1] 60W Candelabra Base
120V, dimming

FLUORESCENT / FL
[1] CFL 18/26/32W GX24q-3
Base, 120V, non-dimming


LED / LED
[1] 12.5W Module, 3000K
120V, non-dimming

RELATED PRODUCTS


RIO SCONCE // RIOD
ADA




KYOTO SCONCE // KYO1
ADA



LYRIC SCONCE // LYR1
ADA




SIENA SCONCE // SIE1
ADA



Circ

ADA CUSTOM OPTIONS



The Circ is a powerfully proportioned sconce. Slightly oversized, it makes a clear design statement about the refinement of form. It is an exceptionally well executed sconce.

DIMENSIONS

17.60"H x 3.95"W x 3.97"P

LAMPING / VOLTAGE

- [1] 60W Max Incandescent T10 Medium Base
635 Lumens, 2700K, 120V, dimming
- [1] 24W Fluorescent CFL 2G11 Base
1800 Lumens, 3000K, 120V, non-dimming

FINISH

Brushed Nickel, Polished Nickel, Polished Chrome


DIFFUSER

Shiny Opal Glass

Customize this fixture to your specific needs



Finish shown: Polished Chrome




Refer to the instructions for correct j-box placement and installation requirements.

Fixture can be mounted facing UP or DOWN

Est. Weight: 5.28 lbs

MODEL
CIRC SCONCE // CIR1



DIMENSIONS
Height: 17.60
Width: 3.95
Projection: 3.97

FIXTURE TYPE
ADA Sconce / A


DIFFUSER
Shiny Opal Glass / SO

FINISH
Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH


LAMPING / VOLTAGE
INCANDESCENT / INC
[1] 60W T10 Medium Base
120V, dimming
FLUORESCENT / FL
[1] FT 24W 2G11 Base, 120V
non-dimming

RELATED PRODUCTS


CIRC SCONCE // CIR2
ADA




CLIK SCONCE // CLK1
ADA



STUDIO SCONCE // STU1
ADA




REFLEX SCONCE // REF1
ADA



Circ Duo

ADA CUSTOM OPTIONS



The Circ Duo is perfectly proportioned for bath applications. It can be mounted either horizontally or vertically and is a beautiful complement to the Circ single sconce.

DIMENSIONS

22.88"H x 3.95"W x 3.97"P

FL version is non-ADA

LAMPING / VOLTAGE

[2] 60W Max Incandescent T10 Medium Base
635 Lumens, 2700K, 120V, dimming

[2] 26W Fluorescent CFL QUAD, GX24q-3 Base
1800 Lumens, 3000K, 120V, non-dimming

FINISH

Brushed Nickel, Polished Nickel, Polished Chrome

DIFFUSER

Shiny Opal Glass

Customize this fixture to your specific needs

Fixture can be mounted VERTICALLY or HORIZONTALLY



Finish shown: Brushed Nickel




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Circ Duo

ADA CUSTOM OPTIONS




Refer to the instructions for correct j-box placement and installation requirements.

Fixture can be mounted VERTICALLY or HORIZONTALLY

Est. Weight: 7.03 lbs

MODEL
CIRC SCONCE // CIR1



DIMENSIONS

Height: 3.95
Width: 22.88
Projection: 3.97

FIXTURE TYPE

ADA Sconce / A


DIFFUSER

Shiny Opal Glass / SO

FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE


INCANDESCENT / INC 
[2] 60W T10 Medium Base
120V, dimming

FLUORESCENT / FL 


[2] CFL 26W QUAD, GX24q-3
Base, 120V, non-dimming
not ADA

RELATED PRODUCTS


CIRC SCONCE // CIR1
ADA




CLIK SCONCE // CLK1
ADA



STUDIO SCONCE // STU1
ADA




REFLEX SCONCE // REF1
ADA



Circ Duo R

ADA CUSTOM OPTIONS



The Circ Duo R is perfectly proportioned for bath applications. This sconce is an alternative to the standard Circ Duo sconce. A shorter glass span allows for placement over smaller mirrors/cabinets and the addition of a round backplate compliments a wide variety of bathroom hardware. It can be mounted either horizontally or vertically and is a beautiful complement to the Circ Pendant.

DIMENSIONS

5.00"H x 19.88"W x 3.97"P

LAMPING / VOLTAGE

- [2] 60W Max Incandescent T10 Medium Base
635 Lumens, 2700K, 120V, dimming
- [2] 13W Fluorescent CFL 2GX7 Base
820 Lumens, 2700K, 120V, non-dimming

FINISH

Brushed Nickel, Polished Nickel, Polished Chrome

DIFFUSER

Shiny Opal Glass

Customize this fixture to your specific needs

Fixture can be mounted VERTICALLY or HORIZONTALLY



Finish shown: Polished Nickel




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Circ Duo R

ADA CUSTOM OPTIONS




Refer to the instructions for correct j-box placement and installation requirements.

Fixture can be mounted VERTICALLY or HORIZONTALLY

Est. Weight: 7.03 lbs

MODEL
CIRC DUO R // CIRDR



DIMENSIONS

Height: 5.00
Width: 19.88
Projection: 3.97

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

Shiny Opal Glass / SO

FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE


INCANDESCENT / INC
[2] 60W T10 Medium Base
120V, dimming

FLUORESCENT / FL

[2] FT 13W 2GX7 Base,
120V, non-dimming


RELATED PRODUCTS

CIRC PENDANT // CIRP




CLIK SCONCE // CLK 1

ADA




STUDIO SCONCE // STU1

ADA




CIRC SCONCE // CIRD

ADA



Circ Pendant

CUSTOM OPTIONS



The Circ is a powerfully proportioned pendant. The oversized body makes a clear design statement about the refinement of form. The clear outer glass encases the entire diffuser body.

DIMENSIONS

60.00"H x 6.00"W x 4.50"D Glass

Field adjustable cord

6ft cord supplied

LAMPING / VOLTAGE

[1] 100W Max Incandescent Medium Base

1250 Lumens, 2700K, 120V, dimming

[1] 24W Fluorescent CFL 2G11 Base

1800 Lumens, 3000K, 120V, non-dimming

[1] 9.5W LED 60W Equiv. Medium Base

800 Lumens, 2700K, 120V, dimming

FINISH

Brushed Nickel, Polished Nickel, Polished Chrome

DIFFUSER

Shiny Opal Glass

Clear Outer Glass

Customize this fixture to your specific needs



Finish shown: Polished Chrome




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Circ Pendant


CUSTOM OPTIONS



Refer to the instructions for correct j-box placement and installation requirements.

Est. Weight: 10.7 lbs

MODEL
CIRC PENDANT // CIRP



DIMENSIONS

Height: 60.00
Width: 6.00
Glass Dia: 4.50

FIXTURE TYPE

Pendant / P

DIFFUSER

Shiny Opal Glass / SO
Clear Glass / CL

FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH


LAMPING / VOLTAGE

INCANDESCENT / INC
[1] 100W Medium Base
120V, dimming
FLUORESCENT / FL
[1] FT 24W 2G11 Base, 120V
non-dimming
LED / LED
[1] 9.5W Medium Base
120V, dimming

RELATED PRODUCTS


CIRC SCONCE // CIR1

ADA




CLIK SCONCE // CLK2

ADA




STUDIO SCONCE // STU1

ADA




NAKED PENDANT // NAK1



Circ MULTI PENDANT

CUSTOM OPTIONS



The Circ is a powerfully proportioned pendant with a clear outer glass that encases the entire diffuser body. The Multi-Pendant is available in a variety of formats allowing for a clean, symmetrical or cascading organic arrangement.

DIMENSIONS

60.00"H x 6.50"W x 4.50"D Glass

Field adjustable cord

6ft cord supplied

LAMPING / VOLTAGE

[3,4] 100W Max Incandescent Medium Base

1250 Lumens, 2700K, 120V, dimming

[3,4] 24W Fluorescent CFL 2G11 Base

1800 Lumens, 3000K, 120V, non-dimming

[3,4] 9.5W LED 60W Equiv. Medium Base

800 Lumens, 2700K, 120V, dimming

FINISH

Brushed Nickel, Polished Nickel, Polished Chrome

DIFFUSER

Shiny Opal Glass

Clear Outer Glass

Customize this fixture to your specific needs



Finish shown: Polished Chrome

Circ MULTI PENDANT

CUSTOM OPTIONS

MODEL
CIRC PENDANT // CIRPL3






DIMENSIONS
Height: 84.00
Width: 32.00
Glass Dia: 4.50

CANOPY
Flat / F
Droplet / D


DIFFUSER
Shiny Opal Glass / SO
Clear Glass / CL

FINISH
Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

FIXTURE TYPE
Pendant / P

LAMPING / VOLTAGE
INCANDESCENT / INC 
[3] 100W Medium Base
120V, dimming
FLUORESCENT / FL 
[3] FT 24W 2G11 Base, 120V
non-dimming
LED / LED 
[3] 9.5W Medium Base
120V, dimming

MODEL
CIRC PENDANT // CIRPL4






DIMENSIONS
Height: 84.00
Width: 32.00
Glass Dia: 4.50

CANOPY
Flat / F
Droplet / D

DIFFUSER
Shiny Opal Glass / SO
Clear Glass / CL

FINISH
Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

FIXTURE TYPE
Pendant / P

LAMPING / VOLTAGE
INCANDESCENT / INC 
[4] 100W Medium Base
120V, dimming
FLUORESCENT / FL 
[4] FT 24W 2G11 Base,
120V, non-dimming
LED / LED 
[4] 9.5W Medium Base
120V, dimming

MODEL
CIRC PENDANT // CIRPR3




DIMENSIONS
Height: 84.00
Width: 18.00
Glass Dia: 4.50

CANOPY
Flat / F
Droplet / D

DIFFUSER
Shiny Opal Glass / SO
Clear Glass / CL

FINISH
Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

FIXTURE TYPE
Pendant / P

LAMPING / VOLTAGE
INCANDESCENT / INC 
[3] 100W Medium Base
120V, dimming
FLUORESCENT / FL 
[3] FT 24W 2G11 Base 120V
non-dimming
LED / LED 
[3] 9.5W Medium Base
120V, dimming

MODEL
CIRC PENDANT // CIRPS4



DIMENSIONS
Height: 84.00
Width: 18.00
Glass Dia: 4.50

CANOPY
Flat / F
Droplet / D

DIFFUSER
Shiny Opal Glass / SO
Clear Glass / CL


FINISH
Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH


FIXTURE TYPE
Pendant / P


LAMPING / VOLTAGE
INCANDESCENT / INC 
[4] 100W Medium Base
120V, dimming
FLUORESCENT / FL 
[4] FT 24W 2G11 Base,
120V, non-dimming
LED / LED 
[4] 9.5W Medium Base
120V, dimming


Refer to the instructions for correct j-box placement and installation requirements.


RELATED PRODUCTS


CIRC SCONCE // CIR1  ADA





CLIK SCONCE // CLK2  ADA



STUDIO SCONCE // STU1  ADA




NAKED PENDANT // NAK1 



Clik 1

ADA CUSTOM OPTIONS



The absolute purity of form defines Clik. Its shiny opal glass appears to float effortlessly above its minimalist structure. Every detail is attended to here. Nothing that is not needed is present. It is available in two formats each communicating purity of form.

DIMENSIONS

9.10"H x 3.19"W x 3.78"P

LAMPING / VOLTAGE

- [1] 60W Max Incandescent T10 Medium Base
635 Lumens, 2700K, 120V, dimming
- [1] 18W Fluorescent CFL GX24q-2 Base
1200 Lumens, 3000K, 120V, non-dimming

FINISH

Brushed Nickel, Polished Nickel, Polished Chrome

DIFFUSER

Shiny Opal Glass

Customize this fixture to your specific needs

*Requires standard single gang jbox
installed in same orientation as fixture



Finish shown: Polished Chrome




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Clik 1


ADA CUSTOM OPTIONS



Refer to the instructions for correct j-box placement and installation requirements.

Est. Weight: 4.11 lbs

MODEL
CLIK SCONCE // CLK1



DIMENSIONS

Height: 9.10
Width: 3.19
Projection: 3.78

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

Shiny Opal Glass / SO

FINISH


Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE


INCANDESCENT / INC
[1] 60W T10 Medium Base
120V, dimming
FLUORESCENT / FL
[1] CFL 18W QUAD, GX24q-2
Base, 120V, non-dimming

RELATED PRODUCTS


CLIK SCONCE // CLK2
ADA



CIRC SCONCE // CIR1
ADA



STUDIO SCONCE // STU1
ADA




PETAL PENDANT // PET1



Clik 2

CUSTOM OPTIONS



The absolute purity of form defines Clik. Its shiny opal glass appears to float effortlessly above its minimalist structure. Every detail is attended to here. Nothing that is not needed is present. It is available in two formats each communicating purity of form.

DIMENSIONS

9.55"H x 3.95"W x 5.28"P

LAMPING / VOLTAGE

- [1] 60W Max Incandescent T10 Medium Base
635 Lumens, 2700K, 120V, dimming
- [1] 26W Fluorescent CFL GX24q-3 Base
1800 Lumens, 3000K, 120V
non-dimming
- [1] 9.5W LED 60W Equiv. Medium Base
800 Lumens, 2700K, 120V, dimming

FINISH

Brushed Nickel, Polished Nickel, Polished Chrome

DIFFUSER

Shiny Opal Glass


Customize this fixture to your specific needs



Finish shown: Brushed Nickel

Clik 2

CUSTOM OPTIONS




Refer to the instructions for correct j-box placement and installation requirements.

Est. Weight: 5.35 lbs

MODEL

CLIK SCONCE // CLK2



DIMENSIONS

Height: 9.55
Width: 3.95
Projection: 5.28

FIXTURE TYPE

Sconce / S

DIFFUSER

Shiny Opal Glass / SO

FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE

INCANDESCENT / INC
[1] 60W T10 Medium Base
120V, dimming


FLUORESCENT / FL
[1] CFL 26W GX24q-3 Base,
120V, non-dimming

LED / LED
[1] 9.5W Medium Base
120V, dimming

RELATED PRODUCTS


CLIK SCONCE // CLK1

ADA




CIRC SCONCE // CIR1

ADA




STUDIO SCONCE // STU1

ADA




REFLEX SCONCE // REF1

ADA



Cygnus

CUSTOM OPTIONS



The Cygnus is formed from an extruded teardrop tube joined to a jewel like faceted cup. Cygnus features a solid brass backplate and white shantung shade.

DIMENSIONS

19.95"H x 8.00"W x 10.20"P

LAMPING / VOLTAGE

- [1] 100W Max Incandescent Medium Base
1250 Lumens, 2700K, 120V, dimming
- [1] 18W Fluorescent CFL GX24q-2 Base
1200 Lumens, 3000K, 120V, non-dimming
- [1] 9.5W LED 60W Equiv. Medium Base
800 Lumens, 2700K, 120V, dimming

FINISH

Brushed Nickel, Polished Nickel, Oil Rubbed Bronze

DIFFUSER

White Shantung

Customize this fixture to your specific needs



Finish shown: Brushed Nickel




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Cygnus

CUSTOM OPTIONS



Refer to the instructions for correct j-box placement and installation requirements.


Est. Weight: 5.78 lbs

<p>MODEL CYGNUS SCONCE // CYG1</p>		<p>DIMENSIONS Height: 19.95 Width: 8.00 Projection: 10.20</p>	<p>FINISH Brushed Nickel / BN Polished Nickel / PN Oil Rubbed Bronze / OB</p>	<p>LAMPING / VOLTAGE INCANDESCENT / INC [1] 100W Max Medium Base, 120V, dimming FLUORESCENT / FL [1] CFL 18W GX24q-2 Base 120V, non-dimming LED / LED [1] 9.5W Medium Base 120V, dimming</p>
		<p>FIXTURE TYPE Sconce / S</p>		
		<p>DIFFUSER White Shantung / WS</p>		

<p>RELATED PRODUCTS</p>	<p>VERTEX SCONCE // VER1</p>	<p>DISTRICT SCONCE // DIS1 ADA</p>	<p>METRO SCONCE // MET2</p>	<p>KYOTO SCONCE // KYO2 ADA</p>

District 1

ADA CUSTOM OPTIONS



Almost industrial in tone, District is forged of solid brass. Its mass is deftly balanced by a simple but tailored white shantung shade with defined edges. Available in fluorescent and incandescent lamping and numerous finishes.

DIMENSIONS

13.71"H x 3.55"W x 3.96"P

LAMPING / VOLTAGE

- [1] 60W Max Incandescent T10 Medium Base
635 Lumens, 2700K, 120V, dimming
- [1] 18W Fluorescent CFL GX24q-2 Base
1200 Lumens, 3000K, 120V, non-dimming

FINISH

Brushed Nickel, Polished Nickel, Oil Rubbed Bronze

DIFFUSER

White Shantung

Acrylic Available (additional cost)

Customize this fixture to your specific needs


*Requires standard single gang jbox
installed in same orientation as fixture



Finish shown: Brushed Nickel

District 1


ADA CUSTOM OPTIONS



Refer to the instructions for correct j-box placement and installation requirements.

Est. Weight: 3.65 lbs

MODEL
DISTRICT SCNCE // DIS1



DIMENSIONS

Height: 13.71
Width: 3.55
Projection: 3.96

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

White Shantung / WS

FINISH


Brushed Nickel / BN
Polished Nickel / PN
Oil Rubbed Bronze / OB

LAMPING / VOLTAGE

INCANDESCENT / INC
[1] 60W T10 Medium Base
120V, dimming
FLUORESCENT / FL
[1] CFL 18W GX24q-2 Base
120V, non-dimming


RELATED PRODUCTS

DISTRICT SCNCE // DIS2




EURO SCNCE // EUR1

ADA




VERTEX SCNCE // VER1




KYOTO SCNCE // KYO1

ADA



District 2

CUSTOM OPTIONS



Almost industrial in tone, District is forged of solid brass. Its mass is deftly balanced by a simple but tailored white shantung shade with defined edges. Available in fluorescent and incandescent lamping and numerous finishes.

DIMENSIONS

23.00"H x 4.75"W x 5.00"P

LAMPING / VOLTAGE

- [1] 60W Max Incandescent T10 Medium Base
635 Lumens, 2700K, 120V, dimming
- [1] 18W Fluorescent CFL GX24q-2 Base
1200 Lumens, 3000K, 120V, non-dimming
- [1] 9.5W LED 60W Equiv. Medium Base
800 Lumens, 2700K, 120V, dimming

FINISH

Brushed Nickel, Polished Nickel, Oil Rubbed Bronze

DIFFUSER

White Shantung

Acrylic Available (additional cost)


Customize this fixture to your specific needs



Finish shown: Polished Nickel

District 2


CUSTOM OPTIONS



Refer to the instructions for correct j-box placement and installation requirements.

Est. Weight: 5.45 lbs

MODEL
DISTRICT SCONCE // DIS2



DIMENSIONS
Height: 23.00
Width: 4.75
Projection: 5.00

FIXTURE TYPE
Sconce / S


DIFFUSER
White Shantung / WS

FINISH
Brushed Nickel / BN
Polished Nickel / PN
Oil Rubbed Bronze / OB


LAMPING / VOLTAGE
INCANDESCENT / INC
[1] 60W T10 Medium Base
120V, dimming
FLUORESCENT / FL
[1] CFL 18W GX24q-2 Base
120V, non-dimming
LED / LED
[1] 9.5W Medium Base
120V, dimming

RELATED PRODUCTS


DISTRICT SCONCE // DIS1
ADA




EURO SCONCE // EUR2



VERTEX SCONCE // VER1




METRO SCONCE // MET2



Euro 1

ADA CUSTOM OPTIONS



An organic style sweeps across Euro with continental charm. The flowing taper of the stem appears to move toward the light beautifully, diffused through a white shantung fabric drum shade that is also tapered at the waist for ADA compliancy.

DIMENSIONS

19.50"H x 6.63"W x 3.96"P

LAMPING / VOLTAGE

- [1] 60W Max Incandescent Candelabra Base
610 Lumens, 2700K, 120V, dimming
- [1] 18W Fluorescent CFL GX24q-2 Base
1200 Lumens, 3000K, 120V, non-dimming
- [1] 7W LED Module, 630 Lumens, 3000K,
120V, non-dimming

FINISH

Brushed Nickel, Polished Nickel, Polished Chrome,
Oil Rubbed Bronze

DIFFUSER

White Shantung
Acrylic Available (additional cost)


Customize this fixture to your specific needs



Finish shown: Polished Chrome

Euro 1


ADA CUSTOM OPTIONS



Refer to the instructions for correct j-box placement and installation requirements.

Est. Weight: 5.64 lbs

MODEL
EURO SCONCE // EUR1



DIMENSIONS

Height: 19.50
Width: 6.63
Projection: 3.96

FIXTURE TYPE

ADA Sconce / A



DIFFUSER

White Shantung / WS

FINISH


Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH
Oil Rubbed Bronze / OB

LAMPING / VOLTAGE


INCANDESCENT / INC 
[1] 60W Candelabra Base
120V, dimming
FLUORESCENT / FL 
[1] CFL 18W GX24q-2 Base
120V, non-dimming
LED / LED
[1] 7W Module, 120V,
non-dimming

RELATED PRODUCTS

EURO SCONCE // EUR2




EURO SCONCE // EUR3




DISTRICT SCONCE // DIS1

ADA




METRO SCONCE // MET1

ADA



Euro 2

CUSTOM OPTIONS



An organic style sweeps across Euro with continental charm. The flowing taper appears to move toward the light beautifully, diffused through a white shantung fabric drum shade. Euro is also available in an ADA version with a white shantung fabric half shade tapered at the waist.

DIMENSIONS

19.00"H x 7.00"W x 8.31"P

LAMPING / VOLTAGE

- [1] 100W Max Incandescent Medium Base
1250 Lumens, 2700K, 120V, dimming
- [1] 18W Fluorescent CFL GX24q-2 Base
1200 Lumens, 3000K, 120V, non-dimming
- [1] 9.5W LED 60W Equiv. Medium Base
800 Lumens, 2700K, 120V, dimming

FINISH

Brushed Nickel, Polished Nickel, Polished Chrome,
Oil Rubbed Bronze

DIFFUSER

White Shantung


Customize this fixture to your specific needs



Finish shown: Polished Nickel

Euro 2

CUSTOM OPTIONS




Refer to the instructions for correct j-box placement and installation requirements.

Est. Weight: 5.93 lbs

MODEL EURO SCONCE // EUR2		DIMENSIONS Height: 19.00 Width: 7.00 Projection: 8.31	FINISH Brushed Nickel / BN Polished Nickel / PN Polished Chrome / CH Oil Rubbed Bronze / OB	LAMPING / VOLTAGE INCANDESCENT / INC [1] 100W Max, Medium Base, 120v, dimming FLUORESCENT / FL [1] CFL 18W GX24q-2 Base 120V, non-dimming LED / LED [1] 9.5W Medium Base 120V, dimming
		FIXTURE TYPE Sconce / S		
		DIFFUSER White Shantung / WS		


RELATED PRODUCTS EURO SCONCE // EUR1 EURO SCONCE // EUR3 DISTRICT SCONCE // DIS2 METRO SCONCE // MET2

ADA



Euro 3

CUSTOM OPTIONS



An organic style sweeps across Euro with continental charm. The addition of a cased glass diffuser makes it a fitting fixture for the bathroom. Euro is also available in an ADA version with a white shantung fabric half shade tapered at the waist.

DIMENSIONS

19.50"H x 4.75"W x 5.88"P

LAMPING / VOLTAGE

- [1] 100W Max Incandescent Medium Base
1250 Lumens, 2700K, 120V, dimming
- [1] 18/26/32W Fluorescent CFL GX24q-3 Base
1200/1800/2400 Lumens, 3000K, 120V
non-dimming
- [1] 9.5W LED 60W Equiv. Medium Base
800 Lumens, 2700K, 120V, dimming

FINISH

Brushed Nickel, Polished Nickel, Polished Chrome,
Oil Rubbed Bronze

DIFFUSER

Cased Matte Opal Glass


Customize this fixture to your specific needs



Finish shown: Polished Nickel

Euro 3

CUSTOM OPTIONS




Refer to the instructions for correct j-box placement and installation requirements.

Est. Weight: 7.52 lbs


MODEL EURO SCNCE // EUR3		DIMENSIONS Height: 19.50 Width: 4.75 Projection: 5.88	FINISH Brushed Nickel / BN Polished Nickel / PN Polished Chrome / CH Oil Rubbed Bronze / OB	LAMPING / VOLTAGE INCANDESCENT / INC [1] 100W Max, Medium Base, 120V, dimming FLUORESCENT / FL [1] CFL 26/32W GX24q-3 Base, 120V, non-dimming LED / LED [1] 9.5W Medium Base 120V, dimming
FIXTURE TYPE Sconce / S	DIFFUSER Cased Matte Opal Glass / CM			

RELATED PRODUCTS EURO SCNCE // EUR1 EURO SCNCE // EUR2 DISTRICT SCNCE // DIS2 METRO SCNCE // MET2



Icon 18

ADA CUSTOM OPTIONS



The ICON linear series has a familiar aesthetic at first glance, making it a great choice for transitional and contemporary spaces. The full length diffuser appears to float off of its slim framework.

The footprint of this fixture is significantly slimmer in both its width and projection than anything on the market.

DIMENSIONS

18.00"H x 2.60"W x 2.35"P

LAMPING / VOLTAGE

[1] 21W LED Strip, 1512 Lumens, 3000K,
120V, dimming

*See Installation Instructions for recommended LED dimmers

FINISH

Brushed Nickel, Polished Nickel, Polished Chrome


DIFFUSER

Matte Opal Acrylic

Customize this fixture to your specific needs

*Requires standard single gang jbox
installed in same orientation as fixture

Fixture can be mounted VERTICALLY or HORIZONTALLY



Finish shown: Polished Chrome




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Icon 18

ADA CUSTOM OPTIONS




*Requires standard single gang jbox installed in same orientation as fixture

Refer to the instructions for correct j-box placement and installation requirements.

Fixture can be mounted VERTICALLY or HORIZONTALLY

Est. Weight: 3.00 lbs

MODEL
ICON SCONCE // ICON18



DIMENSIONS

Height: 18.00
Width: 2.60
Projection: 2.35

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

Matte Opal Acrylic / MA

FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE

LED / LED
[1] 21W LED Strip Module, 120V, dimming


*See Installation Instructions for recommended LED dimmers



RELATED PRODUCTS


CIRC SCONCE // CIR1

ADA




CLIK SCONCE // CLK 1

ADA




AXIS SCONCE // AXIS18

ADA




CIRC DUO R // CIRDR

ADA



Icon 24

ADA CUSTOM OPTIONS



The ICON linear fluorescent has a familiar aesthetic at first glance, making it a great choice for transitional and contemporary spaces. The full length diffuser appears to float off of its slim framework.

The footprint of this fixture is significantly slimmer in both its width and projection than anything on the market.

DIMENSIONS

24.00"H x 2.60"W x 2.35"P

LAMPING / VOLTAGE

- [1] 24W Fluorescent T5HO Bipin Base
1860 Lumens, 3000K, 120V, non-dimming
- [1] 30W LED Strip, 1900 Lumens, 3000K,
120V, dimming

*See Installation Instructions for recommended LED dimmers

FINISH

Brushed Nickel, Polished Nickel, Polished Chrome

DIFFUSER

Matte Opal Acrylic

Customize this fixture to your specific needs

*Requires standard single gang jbox
installed in same orientation as fixture

Fixture can be mounted VERTICALLY or HORIZONTALLY



Finish shown: Polished Chrome




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Icon 24

ADA CUSTOM OPTIONS




*Requires standard single gang jbox installed in same orientation as fixture

Refer to the instructions for correct j-box placement and installation requirements.

Fixture can be mounted VERTICALLY or HORIZONTALLY

Est. Weight: 3.50 lbs

MODEL
ICON SCONCE // ICON24



DIMENSIONS
Height: 24.00
Width: 2.60
Projection: 2.35

FIXTURE TYPE
ADA Sconce / A

DIFFUSER
Matte Opal Acrylic / MA


FINISH
Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE
FLUORESCENT / FL
[1] 24W Fluorescent T5HO
Bipin Base, 120V
non-dimming


LED / LED
[1] 30W LED Strip Module,
120V, dimming
*See Installation Instructions for
recommended LED dimmers

RELATED PRODUCTS


AXIS SCONCE // AXIS24
ADA




CIRC DUO R // CIRDR
ADA



REFLEX SCONCE // REF1
ADA




CIRC PENDANT // CIRP



Icon 30

ADA CUSTOM OPTIONS



The ICON linear series has a familiar aesthetic at first glance, making it a great choice for transitional and contemporary spaces. The full length diffuser appears to float off of its slim framework.

The footprint of this fixture is significantly slimmer in both its width and projection than anything on the market.

DIMENSIONS

30.00"H x 2.60"W x 2.35"P

LAMPING / VOLTAGE

[1] 36W LED Strip, 2592 Lumens, 3000K,
120V, dimming

*See Installation Instructions for recommended LED dimmers

FINISH

Brushed Nickel, Polished Nickel, Polished Chrome

DIFFUSER

Matte Opal Acrylic

Customize this fixture to your specific needs

*Requires standard single gang jbox
installed in same orientation as fixture

Fixture can be mounted VERTICALLY or HORIZONTALLY



Finish shown: Polished Chrome




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Icon 30

ADA CUSTOM OPTIONS




*Requires standard single gang jbox installed in same orientation as fixture

Refer to the instructions for correct j-box placement and installation requirements.

Fixture can be mounted VERTICALLY or HORIZONTALLY

Est. Weight: 4.50 lbs

MODEL
ICON SCONCE // ICON30



DIMENSIONS
Height: 30.00
Width: 2.60
Projection: 2.35

FIXTURE TYPE
ADA Sconce / A

DIFFUSER
Matte Opal Acrylic / MA


FINISH
Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE
LED / LED
[1] 36W LED Strip Module, 120V, dimming
*See Installation Instructions for recommended LED dimmers




RELATED PRODUCTS


CIRC SCONCE // CIR1
ADA




CLIK SCONCE // CLK 1
ADA



STUDIO SCONCE // STU1
ADA




CIRC PENDANT // CIRP



Icon 36

ADA CUSTOM OPTIONS



The ICON linear series has a familiar aesthetic at first glance, making it a great choice for transitional and contemporary spaces. The full length diffuser appears to float off of its slim framework.

The footprint of this fixture is significantly slimmer in both its width and projection than anything on the market.

DIMENSIONS

36.00"H x 2.60"W x 2.35"P

LAMPING / VOLTAGE

[1] 45W LED Strip, 3240 Lumens, 3000K,
120V, dimming

*See Installation Instructions for recommended LED dimmers

FINISH

Brushed Nickel, Polished Nickel, Polished Chrome

DIFFUSER

Matte Opal Acrylic

Customize this fixture to your specific needs

*Requires standard single gang jbox
installed in same orientation as fixture

Fixture can be mounted VERTICALLY or HORIZONTALLY



Finish shown: Polished Chrome




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Icon 36

ADA CUSTOM OPTIONS




*Requires standard single gang jbox installed in same orientation as fixture

Refer to the instructions for correct j-box placement and installation requirements.

Fixture can be mounted VERTICALLY or HORIZONTALLY

Est. Weight: 6.00 lbs

MODEL
ICON SCONCE // ICON36



DIMENSIONS
Height: 36.00
Width: 2.60
Projection: 2.35

FIXTURE TYPE
ADA Sconce / A

DIFFUSER
Matte Opal Acrylic / MA


FINISH
Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE
LED / LED
[1] 45W LED Strip Module, 120V, dimming
*See Installation Instructions for recommended LED dimmers




RELATED PRODUCTS


CIRC SCONCE // CIR1
ADA




CLIK SCONCE // CLK 1
ADA



REFLEX SCONCE // REF1
ADA




CIRC PENDANT // CIRP



Icon 48

ADA CUSTOM OPTIONS



The ICON linear series has a familiar aesthetic at first glance, making it a great choice for transitional and contemporary spaces. The full length diffuser appears to float off of its slim framework.

The footprint of this fixture is significantly slimmer in both its width and projection than anything on the market.

DIMENSIONS

48.00"H x 2.60"W x 2.35"P

LAMPING / VOLTAGE

[1] 60W LED Strip, 4320 Lumens, 3000K,
120V, dimming

*See Installation Instructions for recommended LED dimmers

FINISH

Brushed Nickel, Polished Nickel, Polished Chrome

DIFFUSER

Matte Opal Acrylic

Customize this fixture to your specific needs
May require longer leadtime

*Requires standard single gang jbox
installed in same orientation as fixture

Fixture can be mounted VERTICALLY or HORIZONTALLY



Finish shown: Polished Chrome




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Icon 48

ADA CUSTOM OPTIONS




*Requires standard single gang jbox installed in same orientation as fixture

Refer to the instructions for correct j-box placement and installation requirements.

Fixture can be mounted VERTICALLY or HORIZONTALLY

Est. Weight: 9.00 lbs

MODEL
ICON SCONCE // ICON48



DIMENSIONS
Height: 48.00
Width: 2.60
Projection: 2.35

FIXTURE TYPE
ADA Sconce / A

DIFFUSER
Matte Opal Acrylic / MA


FINISH
Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE
LED / LED
[1] 60W LED Strip Module, 120V, dimming
*See Installation Instructions for recommended LED dimmers




RELATED PRODUCTS


CIRC SCONCE // CIR1
ADA




STUDIO SCONCE // STU 1
ADA



REFLEX SCONCE // REF1
ADA




CIRC PENDANT // CIRP



Kyoto 1

ADA CUSTOM OPTIONS



The Kyoto 1 is diminutive but perfectly suited for many locations where compelling style is required. Like its larger sibling, the Kyoto 1 offers a serene flow of light that spills out over the near fluid metalwork. It is at once composed, yet energetic in its form.

DIMENSIONS

8.70"H x 5.00"W x 3.86"P

LAMPING / VOLTAGE

- [1] 60W Max Incandescent Candelabra Base
610 Lumens, 2700K, 120V, dimming
- [1] 18W Fluorescent CFL GX24q-2 Base
1200 Lumens, 3000K, 120V, non-dimming
- [1] 12.5W LED Module
1200 Lumens, 3000K, 120V, non-dimming

FINISH

Brushed Nickel, Polished Nickel, Oil Rubbed Bronze

DIFFUSER

White Shantung
Acrylic Available (additional cost)


Customize this fixture to your specific needs



Finish shown: Brushed Nickel

Kyoto 1


ADA CUSTOM OPTIONS



Refer to the instructions for correct j-box placement and installation requirements.

Est. Weight: 4.07 lbs

MODEL
KYOTO SCONCE // KYO1



DIMENSIONS

Height: 8.70
Width: 5.00
Projection: 3.86

FIXTURE TYPE

ADA Sconce / A



DIFFUSER

White Shantung / WS

FINISH


Brushed Nickel / BN
Polished Nickel / PN
Oil Rubbed Bronze / OB

LAMPING / VOLTAGE


INCANDESCENT / INC 
[1] 60W Candelabra Base
120V, dimming
FLUORESCENT / FL 
[1] CFL 18W GX24q-2 Base
120V, non-dimming
LED / LED
[1] 12.5W Module, 3000K
120V, non-dimming

RELATED PRODUCTS


KYOTO SCONCE // KYO2
ADA




CAPRI SCONCE // CAPI
ADA



LYRIC SCONCE // LYR1
ADA




SIENA SCONCE // SIE1
ADA



Kyoto 2

ADA CUSTOM OPTIONS



The Kyoto 2 offers a serene flow of light that spills out over the near fluid metalwork. It is at once composed, yet energetic in its form.

DIMENSIONS

10.20"H x 7.25"W x 3.86"P

LAMPING / VOLTAGE

- [1] 60W Max Incandescent Candelabra Base
610 Lumens, 2700K, 120V, dimming
- [1] 18W Fluorescent CFL GX24q-2 Base
1200 Lumens, 3000K, 120V, non-dimming
- [1] 12.5W LED Module
1200 Lumens, 3000K, 120V, non-dimming

FINISH

Brushed Nickel, Polished Nickel, Oil Rubbed Bronze

DIFFUSER

White Shantung
Acrylic Available (additional cost)


Customize this fixture to your specific needs



Finish shown: Oil Rubbed Bronze

Kyoto 2


ADA CUSTOM OPTIONS



Refer to the instructions for correct j-box placement and installation requirements.

Est. Weight: 6.35 lbs

MODEL
KYOTO SCONCE // KYO2



DIMENSIONS
Height: 10.20
Width: 7.25
Projection: 3.86

FIXTURE TYPE
ADA Sconce / A


DIFFUSER
White Shantung / WS

FINISH
Brushed Nickel / BN
Polished Nickel / PN
Oil Rubbed Bronze / OB


LAMPING / VOLTAGE
INCANDESCENT / INC
[1] 60W Candelabra Base
120V, dimming
FLUORESCENT / FL
[1] CFL 18W GX24q-2 Base
120V, non-dimming
LED / LED
[1] 12.5W Module, 3000K
120V, non-dimming

RELATED PRODUCTS


KYOTO SCONCE // KYO1
ADA




CAPRI SCONCE // CAPI
ADA



LYRIC SCONCE // LYR1
ADA




SIENA SCONCE // SIE1
ADA



Litebox 16" FLUSHMOUNT

CUSTOM OPTIONS



The Litebox combines subtle elements of classical style with a respect for contemporary simplicity. The result is a fixture that complements almost any architectural space. It is available in custom sizes, levels of trim (with or without crossbars), as a flush mount or pendant, and with custom finishes, diffusers, and lamping.

DIMENSIONS

7.25"H x 16.40"D

LAMPING / VOLTAGE

[2] 100W Max Incandescent Medium Base
1250 Lumens, 2700K, 120V, dimming

[2] 18/26/32W Fluorescent CFL GX24q-3 Base
1200/1800/2400 Lumens, 3000K, 120V
non-dimming

[2] 9.5W LED 60W Equiv. Medium Base
800 Lumens, 2700K, 120V, dimming

FINISH

Brushed Nickel, Polished Nickel, Oil Rubbed Bronze

DIFFUSER

Shiny Opal Acrylic

White Washable Linen Available (additional cost)

Customize this fixture to your specific needs



Finish shown: Oil Rubbed Bronze




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Litebox 16" FLUSHMOUNT

CUSTOM OPTIONS



Refer to the instructions for correct j-box placement and installation requirements.


Est. Weight: 12.90 lbs

<p>MODEL LITEBOX FLUSHMOUNT // LBF16</p>		<p>DIMENSIONS Height: 7.25 Diameter: 16.40</p> <p>FIXTURE TYPE Flushmount / F</p> <p>DIFFUSER Shiny Opal Acrylic / SA</p>	<p>FINISH Brushed Nickel / BN Polished Nickel / PN Oil Rubbed Bronze / OB</p> <p>CROSSBARS CROSSBARS / C NO CROSSBARS / N</p>	<p>LAMPING / VOLTAGE INCANDESCENT / INC [2] 100W Max, Medium Base, 120V, dimming</p> <p>FLUORESCENT / FL [2] CFL 18/26/32W GX24q-3 Base, 120V, non-dimming</p> <p>LED / LED [2] 9.5W Medium Base 120V, dimming</p>
---	--	--	---	--

<p>RELATED PRODUCTS</p>	<p>LITEBOX PENDANT // LBP16</p>	<p>PETAL PENDANT // PETT</p>	<p>LYRIC PENDANT // LYR24</p>	<p>RIO SCONCE // RIO1</p>
				<p>ADA</p>

Litebox 16" PENDANT

CUSTOM OPTIONS



The Litebox combines subtle elements of classical style with a respect for contemporary simplicity. The result is a fixture that complements almost any architectural space. It is available in custom sizes, levels of trim (with or without crossbars), as a flush mount or pendant, and with custom finishes, diffusers, and lamping.

DIMENSIONS

16.00"H x 16.40"D

LAMPING / VOLTAGE

[2] 100W Max Incandescent Medium Base
1250 Lumens, 2700K, 120V, dimming

[2] 18/26/32W Fluorescent CFL GX24q-3 Base
1200/1800/2400 Lumens, 3000K, 120V
non-dimming

[2] 9.5W LED 60W Equiv. Medium Base
800 Lumens, 2700K, 120V, dimming

FINISH

Brushed Nickel, Polished Nickel, Oil Rubbed Bronze

DIFFUSER

Shiny Opal Acrylic

White Washable Linen Available (additional cost)

Customize this fixture to your specific needs



Finish shown: Brushed Nickel




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Litebox 16" PENDANT

CUSTOM OPTIONS



Refer to the instructions for correct j-box placement and installation requirements.

Est. Weight: 12.90 lbs


MODEL		DIMENSIONS	FINISH	LAMPING / VOLTAGE
LITEBOX PENDANT // LBP16		Height: 16.00 Diameter: 16.40	Brushed Nickel / BN Polished Nickel / PN Oil Rubbed Bronze / OB	INCANDESCENT / INC [2] 100W Max, Medium Base, 120V, dimming
		FIXTURE TYPE	CROSSBARS	FLUORESCENT / FL [2] CFL 18/26/32W GX24q-3 Base, 120V, non-dimming
		Pendant / P	CROSSBARS / C NO CROSSBARS / N	LED / LED [2] 9.5W Medium Base 120V, dimming
		DIFFUSER		
		Shiny Opal Acrylic / SA		

RELATED PRODUCTS

LITEBOX FLUSHMOUNT // LBF16


PETAL PENDANT // PETT

LYRIC PENDANT // LYR12



Litebox 24" FLUSHMOUNT

CUSTOM OPTIONS



The Litebox combines subtle elements of classical style with a respect for contemporary simplicity. The result is a fixture that complements almost any architectural space. It is available in custom sizes, levels of trim (with or without crossbars), as a flush mount or pendant, and with custom finishes, diffusers, and lamping.

DIMENSIONS

9.00"H x 24.40"D

LAMPING / VOLTAGE

[3] 100W Max Incandescent Medium Base
1250 Lumens, 2700K, 120V, dimming

[3] 18/26/32W Fluorescent CFL GX24q-3 Base
1200/1800/2400 Lumens, 3000K, 120V
non-dimming

[3] 9.5W LED 60W Equiv. Medium Base
800 Lumens, 2700K, 120V, dimming

FINISH

Brushed Nickel, Polished Nickel, Oil Rubbed Bronze

DIFFUSER

Shiny Opal Acrylic

White Washable Linen Available (additional cost)


Customize this fixture to your specific needs



Finish shown: Brushed Nickel

Litebox 24" FLUSHMOUNT

CUSTOM OPTIONS



Refer to the instructions for correct j-box placement and installation requirements.


Est. Weight: 23.81 lbs

<p>MODEL LITEBOX FLUSHMOUNT // LBF24</p>		<p>DIMENSIONS Height: 9.00 Diameter: 24.40</p> <p>FIXTURE TYPE Flushmount / F</p> <p>DIFFUSER Shiny Opal Acrylic / SA</p>	<p>FINISH Brushed Nickel / BN Polished Nickel / PN Oil Rubbed Bronze / OB</p> <p>CROSSBARS CROSSBARS / C NO CROSSBARS / N</p>	<p>LAMPING / VOLTAGE INCANDESCENT / INC [3] 100W Max, Medium Base, 120V, dimming</p> <p>FLUORESCENT / FL [3] CFL 18/26/32W GX24q-3 Base, 120V, non-dimming</p> <p>LED / LED [3] 9.5W Medium Base 120V, dimming</p>
---	--	--	---	--

<p>RELATED PRODUCTS</p>	<p>LITEBOX PENDANT // LBP24</p>	<p>PETAL PENDANT // PETT</p>	<p>LYRIC PENDANT // LYR24</p>	<p>RIO SCONCE // RIO1 ADA</p>

Litebox 24" PENDANT

CUSTOM OPTIONS



The Litebox combines subtle elements of classical style with a respect for contemporary simplicity. The result is a fixture that complements almost any architectural space. It is available in custom sizes, levels of trim (with or without crossbars), as a flush mount or pendant, and with custom finishes, diffusers, and lamping.

DIMENSIONS

24"H x 24.40"D

LAMPING / VOLTAGE

[3] 100W Max Incandescent Medium Base

1250 Lumens, 2700K, 120V, dimming

[3] 18/26/32W Fluorescent CFL GX24q-3 Base

1200/1800/2400 Lumens, 3000K, 120V

non-dimming

[3] 9.5W LED 60W Equiv. Medium Base

800 Lumens, 2700K, 120V, dimming

FINISH

Brushed Nickel, Polished Nickel, Oil Rubbed Bronze

DIFFUSER

Shiny Opal Acrylic

White Washable Linen Available (additional cost)

Customize this fixture to your specific needs



Finish shown: Brushed Nickel




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Litebox 24" PENDANT

CUSTOM OPTIONS




Refer to the instructions for correct j-box placement and installation requirements.

Est. Weight: 20.24 lbs

MODEL

LITEBOX PENDANT // LBP24



DIMENSIONS

Height: 24.00
Width: 24.40

FIXTURE TYPE

Pendant / P

DIFFUSER

Shiny Opal Acrylic / SA


FINISH


Brushed Nickel / BN
Polished Nickel / PN
Oil Rubbed Bronze / OB


CROSSBARS

CROSSBARS / C
NO CROSSBARS / N

LAMPING / VOLTAGE

INCANDESCENT / INC 
[3] 100W Max, Medium Base, 120V, dimming

FLUORESCENT / FL 
[3] CFL 18/26/32W GX24q-3 Base, 120V, non-dimming

LED / LED 
[3] 9.5W Medium Base 120V, dimming





RELATED PRODUCTS

LITEBOX FLUSHMOUNT // LBF24

PETAL PENDANT // PETT


LYRIC PENDANT // LYR24

CIRC PENDANT // CIRP



Litebox OPEN PENDANT

CUSTOM OPTIONS



A beautiful marriage of function and form. With hints of transitional and contemporary design details, this fixture sets the mood in any location. Offered in 4 standard diffuser options.

DIMENSIONS

30.00"H x 24.00"D

LAMPING / VOLTAGE

- [5] 40W Antique Incandescent Medium Base
135 Lumens, 2200K, 120V, dimming
- [5] 4W LED Antique 60W Equiv. Medium Base
300 Lumens, 2200K, 120V, dimming

FINISH

Polished Nickel, Polished Chrome,
Shiny Black Nickel

DIFFUSER

Organza Silver, Organza Black, Mirrored Mylar,
Metallique

Customize this fixture to your specific needs



Finish shown: Polished Nickel





Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Litebox OPEN PENDANT

CUSTOM OPTIONS




Refer to the instructions for correct j-box placement and installation requirements.

Est. Weight: 27.78 lbs

MODEL

LITEBOX OPEN PENDANT // LOP24



DIMENSIONS

Height: 30.00
Dia: 24.00

FIXTURE TYPE

Pendant / P


DIFFUSER


Metallique / MQ
Organza Silver / GS
Organza Black / GB
Mirrored Mylar / MM

FINISH

Polished Nickel / PN
Polished Chrome/ CH
Shiny Black Nickel / SBN

LAMPING / VOLTAGE


INCANDESCENT / INC 
[5] 40W Medium Base
120V, dimming

LED / LED 
[5] 4W Medium Base
120V, dimming


RELATED PRODUCTS

METRO SCENCE // MET2

ADA




LYRIC PENDANT // LYR24




RIO SCENCE // RIOD

ADA




LITEBOX PENDANT // LBP16



Luxe Duo

ADA CUSTOM OPTIONS

FL version is not ADA



The Luxe Duo sconce is a compact fixture that packs a punch, perfect for over the cabinet mounting or along side a mirror. Its high light output and small form factor allows mounting over a variety of cabinet widths and is bright enough as the sole light source in smaller spaces.

DIMENSIONS

4.20"H x 16.00"W x 3.98"P

FL version is non-ADA

LAMPING / VOLTAGE

- [2] 100W Max Incandescent Medium Base
1250 Lumens, 2700K, 120V, dimming
- [2] 26W Fluorescent CFL GX24q-3 Base
1800 Lumens, 3000K, 120V, non-dimming
- [2] 9.5W LED 60W Equiv. Medium Base
800 Lumens, 2700K, 120V, dimming

FINISH

Brushed Nickel, Polished Nickel, Polished Chrome

DIFFUSER

Shiny Opal Glass

Customize this fixture to your specific needs

Fixture can be mounted VERTICALLY or HORIZONTALLY




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Luxe Duo

ADA CUSTOM OPTIONS




*Requires standard single gang jbox installed in same orientation as fixture

Refer to the instructions for correct j-box placement and installation requirements.

Fixture can be mounted VERTICALLY or HORIZONTALLY

Est. Weight: 4.78 lbs

MODEL
LUXE DUO // LUXD



DIMENSIONS
Height: 4.20
Width: 16.00
Projection: 3.98

FIXTURE TYPE
ADA Sconce / A
FL version is not ADA


DIFFUSER
Shiny Opal Glass / SO

FINISH
Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH


LAMPING / VOLTAGE
INCANDESCENT / INC
[2] 100W Medium Base
120V, dimming
FLUORESCENT / FL
[2] CFL 26W GX24q-3 Base
120V, non-dimming not ADA
LED / LED
[2] 9.5W Medium Base
120V, dimming

RELATED PRODUCTS


CIRC PENDANT // CIRP




CLIK SCONCE // CLK 1
ADA



REFLEX SCONCE // REF1
ADA




CIRC SCONCE // CIRD
ADA



Lyric 12" PENDANT

CUSTOM OPTIONS



The Lyric Pendant's understated elegance is enhanced by gradually tapered and artfully chamfered metalwork. In its petite form it is quite charming. Lamping options include fluorescent and incandescent. It is part of the Lyric family and is also available as a matching ADA sconce.

DIMENSIONS

24.00"H x 12.00"D

LAMPING / VOLTAGE

- [1] 100W Max Incandescent Medium Base
1250 Lumens, 2700K, 120V, dimming
- [1] 18/26/32W Fluorescent CFL GX24q-3 Base
1200/1800/2400 Lumens, 3000K, 120V
non-dimming
- [1] 9.5W LED 60W Equiv. Medium Base
800 Lumens, 2700K, 120V, dimming

FINISH

Brushed Nickel, Polished Nickel, Oil Rubbed Bronze

DIFFUSER

Shiny Opal Acrylic

Customize this fixture to your specific needs



Finish shown: Oil Rubbed Bronze




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Lyric 12" PENDANT

CUSTOM OPTIONS



Refer to the instructions for correct j-box placement and installation requirements.


Est. Weight: 7.78 lbs

MODEL LYRIC PENDANT // LYR12		DIMENSIONS Height: 24.00 Diameter: 12.00 FIXTURE TYPE Pendant / P DIFFUSER Shiny Opal Acrylic / SA Matte Opal Acrylic / MA	FINISH Brushed Nickel / BN Polished Nickel / PN Oil Rubbed Bronze / OB	LAMPING / VOLTAGE INCANDESCENT / INC [1] 100W Max, Medium Base, 120V, dimming FLUORESCENT / FL [1] CFL 18/26/32W GX24q-3 Base, 120V, non-dimming LED / LED [1] 9.5W Medium Base 120V, dimming
--	--	--	--	--

RELATED PRODUCTS	LYRIC PENDANT // LYR24 	LYRIC SCONCE // LYR1 ADA 	PETAL PENDANT // PET1 	LITEBOX PENDANT // LBP16
-------------------------	----------------------------	---------------------------------	---------------------------	------------------------------

Lyric 24" PENDANT

CUSTOM OPTIONS



The Lyric Pendant's understated elegance is enhanced by gradually tapered and artfully chamfered metalwork. Its light emanates from either a white opal acrylic or matte opal acrylic (special order). It is part of the Lyric family and is also available as a matching ADA sconce.

DIMENSIONS

24"H x 24.00"D

LAMPING / VOLTAGE

[2] 100W Max Incandescent Medium Base
1250 Lumens, 2700K, 120V, dimming

[2] 18/26/32W Fluorescent CFL GX24q-3 Base
1200/1800/2400 Lumens, 3000K, 120V
non-dimming

[2] 9.5W LED 60W Equiv. Medium Base
800 Lumens, 2700K, 120V, dimming

FINISH

Brushed Nickel, Polished Nickel, Oil Rubbed Bronze

DIFFUSER

Shiny Opal Acrylic

Customize this fixture to your specific needs



Finish shown: Oil Rubbed Bronze




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Lyric 24" PENDANT

CUSTOM OPTIONS




Refer to the instructions for correct j-box placement and installation requirements.

Est. Weight: 16.90 lbs

MODEL

LYRIC PENDANT // LYR24



DIMENSIONS

Height: 24.00
Width: 24.00

FIXTURE TYPE

Pendant / P




DIFFUSER

Shiny Opal Acrylic / SA
Matte Opal Acrylic / MA

FINISH


Brushed Nickel / BN
Polished Nickel / PN
Oil Rubbed Bronze / OB

LAMPING / VOLTAGE

INCANDESCENT / INC 
[2] 100W Max, Medium Base, 120V, dimming
FLUORESCENT / FL 
[2] CFL 18/26/32W GX24q-3 Base, 120V, non-dimming
LED / LED 
[2] 9.5W Medium Base 120V, dimming


RELATED PRODUCTS

LYRIC PENDANT // LYR12




LYRIC SCONCE // LYR1


ADA



LITEBOX PENDANT // LBP24




PETAL PENDANT // PETT



Lyric SCONCE

ADA CUSTOM OPTIONS



The subjective poetic form aptly describes the Lyric sconce by AYRE. Fluid and elegant, its lines are bound by precision machined metalwork, carefully chamfered and gradually tapered in the front. Its light is softened by a white opal acrylic main diffuser and bottom diffuser. Lamping options include LED, fluorescent, and incandescent.

DIMENSIONS

8.00"H x 10.87"W x 3.91"P

LAMPING / VOLTAGE

- [1] 60W Max Incandescent Candelabra Base
610 Lumens, 2700K, 120V, dimming
- [1] 18/26/32W Fluorescent CFL GX24q-3 Base
1200/1800/2400 Lumens, 3000K, 120V
non-dimming
- [1] 12.5W LED Module
1200 Lumens, 3000K, 120V, non-dimming

FINISH

Brushed Nickel, Polished Nickel, Oil Rubbed Bronze

DIFFUSER

Shiny Opal Acrylic

Customize this fixture to your specific needs



Finish shown: Polished Nickel




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Lyric SCONCE


ADA CUSTOM OPTIONS



Refer to the instructions for correct j-box placement and installation requirements.

Est. Weight: 3.77 lbs

MODEL
LYRIC SCONCE // LYR1



DIMENSIONS
Height: 8.00
Width: 10.87
Projection: 3.91

FIXTURE TYPE
ADA Sconce / A


DIFFUSER
Shiny Opal Acrylic / SA
Matte Opal Acrylic / MA

FINISH
Brushed Nickel / BN
Polished Nickel / PN
Oil Rubbed Bronze / OB


LAMPING / VOLTAGE
INCANDESCENT / INC
[1] 60W Candelabra Base
120V, dimming
FLUORESCENT / FL
[1] CFL 18/26/32W GX24q-3
Base, 120V, non-dimming
LED / LED
[1] 12.5W Module, 3000K
120V, non-dimming

RELATED PRODUCTS


LYRIC PENDANT // LYR12




LYRIC PENDANT // LYR24



SIENA SCONCE // SIE1
ADA




METRO SCONCE // MET1
ADA



Metro 1

ADA CUSTOM OPTIONS



The Metro 1, like its sibling the Metro, is classical in essence and origin but highly refined in execution. It is crisp, clean and beautifully reinterpreted for today.

DIMENSIONS

19.60"H x 6.60"W x 3.98"P

LAMPING / VOLTAGE

- [1] 60W Max Incandescent Medium Base
850 Lumens, 2700K, 120V, dimming
- [1] 18W Fluorescent CFL GX24q-2 Base
1200 Lumens, 3000K, 120V, non-dimming
- [1] 7W LED Module, 630 Lumens, 3000K,
120V, non-dimming

FINISH

Brushed Nickel, Polished Nickel, Oil Rubbed Bronze

DIFFUSER

White Shantung

Acrylic Available (additional cost)


Customize this fixture to your specific needs



Finish shown: Brushed Nickel

Metro 1


ADA CUSTOM OPTIONS



Refer to the instructions for correct j-box placement and installation requirements.

Est. Weight: 6.01 lbs

MODEL
METRO SCONCE // MET1



DIMENSIONS
Height: 19.60
Width: 6.60
Projection: 3.98

FIXTURE TYPE
ADA Sconce / A


DIFFUSER
White Shantung / WS

FINISH
Brushed Nickel / BN
Polished Nickel / PN
Oil Rubbed Bronze / OB

LAMPING / VOLTAGE
INCANDESCENT / INC
[1] 60W Medium Base, 120V, dimming
FLUORESCENT / FL
[1] CFL 18W GX24q-2 Base 120V, non-dimming
LED / LED
[1] 7W Module, 120V, non-dimming


RELATED PRODUCTS

METRO SCONCE // MET2




EURO SCONCE // EUR1

ADA




DISTRICT SCONCE // DIS1

ADA




SIENA SCONCE // SIE1

ADA



Metro 2

CUSTOM OPTIONS



The Metro is a wonderfully updated sconce. Its neoclassical origins being refined and cleanly re-interpreted.

DIMENSIONS

18.95"H x 7.00"W x 7.75"P

LAMPING / VOLTAGE

- [1] 100W Max Incandescent Medium Base
1250 Lumens, 2700K, 120V, dimming
- [1] 18W Fluorescent CFL GX24q-2 Base
1200 Lumens, 3000K, 120V, non-dimming
- [1] 9.5W LED 60W Equiv. Medium Base
800 Lumens, 2700K, 120V, dimming

FINISH

Brushed Nickel, Polished Nickel, Oil Rubbed Bronze

DIFFUSER

White Shantung


Customize this fixture to your specific needs



Finish shown: Polished Nickel

Metro 2

CUSTOM OPTIONS



Refer to the instructions for correct j-box placement and installation requirements.


Est. Weight: 6.19 lbs

<p>MODEL METRO SCONCE // MET2</p>		<p>DIMENSIONS Height: 18.95 Width: 7.00 Projection: 7.75</p>	<p>FINISH Brushed Nickel / BN Polished Nickel / PN Oil Rubbed Bronze / OB</p>	<p>LAMPING / VOLTAGE INCANDESCENT / INC [1] 100W Max, Medium Base, 120V, dimming FLUORESCENT / FL [1] CFL 18W GX24q-2 Base 120V, non-dimming LED / LED [1] 9.5W Medium Base 120V, dimming</p>
<p>FIXTURE TYPE Sconce / S</p>	<p>DIFFUSER White Shantung / WS</p>			

<p>RELATED PRODUCTS</p>	<p>METRO SCONCE // MET1 ADA</p>	<p>EURO SCONCE // EUR2</p>	<p>DISTRICT SCONCE // DIS2</p>	<p>SIENA SCONCE // SIE2</p>

Naked Pendant

CUSTOM OPTIONS



A dual functioning socket houses an energy efficient light source while suspending its decorative glass diffuser. A clean and simple approach to design has resulted in a creative use of light paired with a fixture free of any visible screws or decorative fasteners.

DIMENSIONS

60.00"H x 6.00"W x 7.00"D Glass

Field adjustable cord

6ft cord supplied

LAMPING / VOLTAGE

[1] LED 7W GU5.3 Halogen Base

370 Lumens, 3000K, 120V, dimming

FINISH

Matte Black, Brushed Nickel, Polished Chrome

DIFFUSER

Clear Mouth Blown Glass

Customize this fixture to your specific needs




Finish shown: Polished Chrome



Naked Pendant


CUSTOM OPTIONS



Refer to the instructions for correct j-box placement and installation requirements.

Est. Weight: 6.48 lbs

MODEL
NAKED PENDANT // NAK1



DIMENSIONS

Height: 60.00
Width: 6.00
Glass Dia: 7.00

FIXTURE TYPE

Pendant / P

DIFFUSER

Clear Glass / CL


FINISH

Matte Black / MB
Brushed Nickel / BN
Polished Chrome / CH

CORDSET OPTIONS

Cork w/ White Cord
CK-WC
Black Cork w/ Black Cord
BC-BC


LAMPING / VOLTAGE

LED / LED 
[1] 7W Halogen GU5.3
Base, 3000K, 120V,
dimming

RELATED PRODUCTS


CAPRI SCONCE // CAPI

ADA




CLIK SCONCE // CLK1


ADA



VERTEX SCONCE // VER1




CIRC PENDANT // CIRP



Naked MULTI PENDANT

CUSTOM OPTIONS



A dual functioning socket houses an energy efficient light source while suspending its decorative glass diffuser. A clean and simple approach to design has resulted in a creative use of light. The Multi-Pendant is available in a variety of formats allowing for a clean, symmetrical or cascading organic arrangement.

DIMENSIONS

60.00"H x 6.50"W x 7.00"D Glass

Field adjustable cord

6ft cord supplied

LAMPING / VOLTAGE

[3,4] LED 7W GU5.3 Halogen Base

370 Lumens, 3000K, 120V, dimming

FINISH

Matte Black, Brushed Nickel, Polished Chrome

DIFFUSER

Clear Mouth Blown Glass

Customize this fixture to your specific needs



Finish shown: Polished Chrome



Naked MULTI PENDANT

CUSTOM OPTIONS

MODEL
NAKED PENDANT // NAKPL3



DIMENSIONS
Height: 84.00
Width: 32.00
Glass Dia: 7.00

CANOPY
Flat / F
Droplet / D

DIFFUSER
Clear Glass / CL


FINISH
Matte Black / MB
Brushed Nickel / BN
Polished Chrome / CH

CORDSET OPTIONS
Cork w/ White Cord
CK-WC
Black Cork w/ Black Cord
BC-BC

LAMPING / VOLTAGE
LED / LED 
[3] 7W Halogen GU5.3
Base, 3000K, 120V,
dimming

FIXTURE TYPE
Pendant / P

MODEL
NAKED PENDANT // NAKPL4




DIMENSIONS
Height: 84.00
Width: 32.00
Glass Dia: 7.00

CANOPY
Flat / F
Droplet / D

DIFFUSER
Clear Glass / CL


FINISH
Brushed Nickel / BN
Matte Black / MB
Polished Chrome / CH

CORDSET OPTIONS
Cork w/ White Cord
CK-WC
Black Cork w/ Black Cord
BC-BC

LAMPING / VOLTAGE
LED / LED 
[4] 7W Halogen GU5.3
Base, 3000K, 120V,
dimming

FIXTURE TYPE
Pendant / P

MODEL
NAKED PENDANT // NAKPR3




DIMENSIONS
Height: 84.00
Width: 32.00
Glass Dia: 7.00

CANOPY
Flat / F
Droplet / D

DIFFUSER
Clear Glass / CL


FINISH
Brushed Nickel / BN
Matte Black / MB
Polished Chrome / CH

CORDSET OPTIONS
Cork w/ White Cord
CK-WC
Black Cork w/ Black Cord
BC-BC

LAMPING / VOLTAGE
LED / LED 
[3] 7W Halogen GU5.3
Base, 3000K, 120V,
dimming

FIXTURE TYPE
Pendant / P

MODEL
NAKED PENDANT // NAKPS4




DIMENSIONS
Height: 84.00
Width: 32.00
Glass Dia: 7.00

CANOPY
Flat / F
Droplet / D

DIFFUSER
Clear Glass / CL

FINISH
Brushed Nickel / BN
Matte Black / MB
Polished Chrome / CH

CORDSET OPTIONS
Cork w/ White Cord
CK-WC
Black Cork w/ Black Cord
BC-BC


LAMPING / VOLTAGE
LED / LED 
[4] 7W Halogen GU5.3
Base, 3000K, 120V,
dimming

FIXTURE TYPE
Pendant / P


Refer to the instructions for correct j-box placement and installation requirements.

RELATED PRODUCTS


CAPRI SCONCE // CAPI
ADA




CLIK SCONCE // CLK1
ADA



VERTEX SCONCE // VER1




CIRC PENDANT // CIRP



Park

CUSTOM OPTIONS



The Park sconce boasts traditional design details in a modern day aesthetic. The captured cased glass was designed to beautifully illuminate a variety of different light sources without compromising its design intent with the help of a closed top surface.

DIMENSIONS

13.25"H x 5.20"W x 5.90"P

LAMPING / VOLTAGE

- [1] 100W Max Incandescent Medium Base
1250 Lumens, 2700K, 120V, dimming
- [1] 26W Fluorescent CFL GX24q-3 Base
1800 Lumens, 3000K, 120V, non-dimming
- [1] 9.5W LED 60W Equiv. Medium Base
800 Lumens, 2700K, 120V, dimming

FINISH

Brushed Nickel, Polished Nickel, Polished Chrome, Oil Rubbed Bronze

DIFFUSER

Cased Shiny Opal

Customize this fixture to your specific needs



Finish shown: Polished Nickel




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Park

CUSTOM OPTIONS



Refer to the instructions for correct j-box placement and installation requirements.


Est. Weight: 4.86 lbs

MODEL PARK SCNCE // PAR1		DIMENSIONS Height: 13.25 Width: 5.20 Projection: 5.90	FINISH Brushed Nickel / BN Polished Nickel / PN Polished Chrome / CH Oil Rubbed Bronze / OB	LAMPING / VOLTAGE INCANDESCENT / INC [1] 100W Medium Base 120V, dimming FLUORESCENT / FL [1] CFL 26W GX24q-3 Base 120V, non-dimming LED / LED [1] 9.5W Medium Base 120V, dimming
		FIXTURE TYPE Sconce / S		
		DIFFUSER Cased Shiny Opal / CS		

RELATED PRODUCTS	CIRC SCNCE // CIR1 ADA	CLIK SCNCE // CLK2	REFLEX SCNCE // REF1 ADA	CIRC PENDANT // CIRP

Petal SINGLE PENDANT

CUSTOM OPTIONS



The Petal is an organic interplay of wit and whimsy; a delicate exercise in solid brass and attention to detail. It is easily customized to hold the glass of your choice.

DIMENSIONS

60"H x 6.50"D

Field adjustable cord

6ft cord supplied

LAMPING / VOLTAGE

[1] 60W Max Incandescent T10 Medium Base
635 Lumens, 2700K, 120V, dimming

[1] 18W Fluorescent CFL 2G11 Base
1250 Lumens, 3000K, 120V, non-dimming

FINISH

Brushed Nickel, Polished Nickel, Oil Rubbed Bronze

DIFFUSER

Shiny Opal Glass


Customize this fixture to your specific needs



Finish shown: Brushed Nickel

Petal SINGLE PENDANT

CUSTOM OPTIONS



Refer to the instructions for correct j-box placement and installation requirements.

Est. Weight: 6.02 lbs

MODEL
PETAL PENDANT // PET1



DIMENSIONS

Height: 60.00
Diameter: 6.00

FIXTURE TYPE

Pendant / P


DIFFUSER


Shiny Opal Glass / SO

FINISH

Brushed Nickel / BN
Polished Nickel / PN
Oil Rubbed Bronze / OB


LAMPING / VOLTAGE

INCANDESCENT / INC 
[1] 60W T10 Medium Base
120V, dimming

FLUORESCENT / FL 
[1] FT 18W 2G11 Base, 120V
non-dimming


RELATED PRODUCTS

PETAL PENDANT // PETT




CLIK SCONCE // CLK 1

ADA




LYRIC PENDANT // LYR12




CIRC SCONCE // CIRD

ADA



Petal TRIPLE PENDANT

CUSTOM OPTIONS



The Petal triple pendant expands upon the playfulness of the Petal single. It can be customized in any number of iterations: a linear version is also available.

DIMENSIONS

60.00"H x 9.00"D

Field adjustable cord

6ft cord supplied

LAMPING / VOLTAGE

[3] 60W Max Incandescent T10 Medium Base
635 Lumens, 2700K, 120V, dimming

[3] 18W Fluorescent CFL 2G11 Base
1250 Lumens, 3000K, 120V, non-dimming

FINISH

Brushed Nickel, Polished Nickel, Oil Rubbed Bronze

DIFFUSER

Shiny Opal Glass


Customize this fixture to your specific needs



Finish shown: Brushed Nickel

Petal TRIPLE PENDANT


CUSTOM OPTIONS



Refer to the instructions for correct j-box placement and installation requirements.

Est. Weight: 16.70 lbs

MODEL
PETAL PENDANT // PETT



DIMENSIONS

Height: 60.00
Width: 9.00

FIXTURE TYPE

Pendant / P


DIFFUSER


Shiny Opal Glass / SO

FINISH

Brushed Nickel / BN
Polished Nickel / PN
Oil Rubbed Bronze / OB

LAMPING / VOLTAGE

INCANDESCENT / INC 
[3] 60W T10 Medium Base
120V, dimming

FLUORESCENT / FL 
[3] FT 18W 2G11 Base, 120V
non-dimming


RELATED PRODUCTS

PETAL PENDANT // PET1




CIRC SCONCE // CIR1


ADA



LYRIC PENDANT // LYR12



CIRC PENDANT // CIRP




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Reflex

ADA CUSTOM OPTIONS



The Reflex is a stunning work of design made possible by the most up to date machining techniques. Its narrow bent arm flows with precision from wall plate. Its light is distinctively diffused with mouth blown cased square glass.

DIMENSIONS

14.25"H x 3.95"W x 3.56"P

LAMPING / VOLTAGE

[1] 60W Max Incandescent T10 Medium Base
635 Lumens, 2700K, 120V, dimming

[1] 18W Fluorescent CFL 2G11 Base
1250 Lumens, 3000K, 120V, non-dimming

FINISH

Brushed Nickel, Polished Nickel, Polished Chrome

DIFFUSER

Cased Shiny Opal Glass


Customize this fixture to your specific needs



Finish shown: Polished Chrome

Reflex

ADA CUSTOM OPTIONS




Refer to the instructions for correct j-box placement and installation requirements.

Fixture can be mounted facing UP or DOWN

Est. Weight: 5.35 lbs

MODEL
REFLEX SCONCE // REF1



DIMENSIONS
Height: 14.25
Width: 3.95
Projection: 3.56

FIXTURE TYPE
ADA Sconce / A


DIFFUSER
Cased Shiny Opal Glass / CS

FINISH
Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH


LAMPING / VOLTAGE
INCANDESCENT / INC
[1] 60W T10 Medium Base
120V, dimming
FLUORESCENT / FL
[1] FT 18W 2G11 Base, 120V
non-dimming

RELATED PRODUCTS


CIRC SCONCE // CIR1
ADA




STUDIO SCONCE // STU1
ADA



CLIK SCONCE // CLK1
ADA




CIRC SCONCE // CIR2
ADA



Siena 1

ADA CUSTOM OPTIONS



The Siena features a half round rolled shade that tucks tightly to the wall. It exhibits a traditional-transitional design capable of being illuminated with energy saving LEDs.

DIMENSIONS

15.88"H x 8.00"W x 4.00"P

LAMPING / VOLTAGE

- [1] 60W Max Incandescent Candelabra Base
610 Lumens, 2700K, 120V, dimming
- [1] 18W Fluorescent CFL GX24q-2 Base
1200 Lumens, 3000K, 120V, non-dimming
- [1] 12.5W LED Module
1200 Lumens, 3000K, 120V, non-dimming

FINISH

Brushed Nickel, Polished Nickel, Oil Rubbed Bronze

DIFFUSER

White Shantung
Acrylic Available (additional cost)


Customize this fixture to your specific needs



Finish shown: Oil Rubbed Bronze

Siena 1

ADA CUSTOM OPTIONS




This fixture mounts independently from diffuser/backplate. The outlet box is located behind the diffuser.

Refer to the instructions for correct j-box placement and installation requirements.

Est. Weight: 6.54 lbs

MODEL

SIENA SCONCE // SIE1



DIMENSIONS

Height: 15.88
Width: 8.00
Projection: 4.00

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

White Shantung / WS

FINISH


Brushed Nickel / BN
Polished Nickel / PN
Oil Rubbed Bronze / OB

LAMPING / VOLTAGE

INCANDESCENT / INC
[1] 60W Candelabra Base
120V, dimming
FLUORESCENT / FL
[1] CFL 18W GX24q-2 Base
120V, non-dimming
LED / LED
[1] 12.5W Module, 3000K
120V, non-dimming


RELATED PRODUCTS

SIENA SCONCE // SIE2




SIENA SCONCE // SIED

ADA




METRO SCONCE // MET1

ADA




EURO SCONCE // EUR1

ADA



Siena 2

CUSTOM OPTIONS



The Siena holds true to its classical form while incorporating clean bold lines. Its presence will add a touch of elegance and sophistication to any decor.

DIMENSIONS

14.75"H x 6.54"W x 7.30"P

LAMPING / VOLTAGE

- [1] 100W Max Incandescent Medium Base
1250 Lumens, 2700K, 120V, dimming
- [1] 18W Fluorescent CFL GX24q-2 Base
1200 Lumens, 3000K, 120V, non-dimming
- [1] 9.5W LED 60W Equiv. Medium Base
800 Lumens, 2700K, 120V, dimming

FINISH

Brushed Nickel, Polished Nickel, Oil Rubbed Bronze

DIFFUSER

White Shantung


Customize this fixture to your specific needs



Finish shown: Polished Nickel

Siena 2

CUSTOM OPTIONS



Refer to the instructions for correct j-box placement and installation requirements.


Est. Weight: 4.94 lbs

<p>MODEL SIENA SCONCE // SIE2</p>		<p>DIMENSIONS Height: 14.75 Width: 6.54 Projection: 7.30</p>	<p>FINISH Brushed Nickel / BN Polished Nickel / PN Oil Rubbed Bronze / OB</p>	<p>LAMPING / VOLTAGE INCANDESCENT / INC [1] 100W Max, Medium Base, 120V, dimming FLUORESCENT / FL [1] CFL 18W GX24q-2 Base 120V, non-dimming LED / LED [1] 9.5W Medium Base 120V, dimming</p>
		<p>FIXTURE TYPE Sconce / S</p>		
		<p>DIFFUSER White Shantung / WS</p>		

<p>RELATED PRODUCTS</p>	<p>SIENA SCONCE // SIE1 ADA</p>	<p>SIENA SCONCE // SIED ADA</p>	<p>METRO SCONCE // MET2</p>	<p>CYGNUS SCONCE // CYG1</p>

Siena Duo

ADA CUSTOM OPTIONS



The Siena Duo features a half round rolled shade that tucks tightly to the wall. It exhibits a traditional-transitional design capable of being illuminated with energy saving LEDs.

DIMENSIONS

15.87"H x 14.00"W x 4.00"P

LAMPING / VOLTAGE

[2] 60W Max Incandescent Candelabra Base
610 Lumens, 2700K, 120V, dimming

[2] 18W Fluorescent CFL GX24q-2 Base
1200 Lumens, 3000K, 120V, non-dimming

[2] 12.5W LED Module
1200 Lumens, 3000K, 120V, non-dimming

FINISH

Brushed Nickel, Polished Nickel, Oil Rubbed Bronze

DIFFUSER

White Shantung

Acrylic Available (additional cost)

Customize this fixture to your specific needs



Finish shown: Polished Nickel




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Siena Duo

ADA CUSTOM OPTIONS




This fixture mounts independently from diffuser/backplate. The outlet box is located behind the diffuser.

Refer to the instructions for correct j-box placement and installation requirements.

Est. Weight: 8.09 lbs

MODEL
SIENA SCONCE // SIED



DIMENSIONS

Height: 15.87
Width: 14.00
Projection: 4.00

FIXTURE TYPE

ADA Sconce / A



DIFFUSER

White Shantung / WS

FINISH


Brushed Nickel / BN
Polished Nickel / PN
Oil Rubbed Bronze / OB

LAMPING / VOLTAGE

INCANDESCENT / INC 
[2] 60W Candelabra Base
120V, dimming
FLUORESCENT / FL 
[2] CFL 18W GX24q-2 Base
120V, non-dimming
LED / LED
[2] 12.5W Module, 3000K
120V, non-dimming


RELATED PRODUCTS

SIENA SCONCE // SIE2




SIENA SCONCE // SIE1

ADA




METRO SCONCE // MET1

ADA




LYRIC SCONCE // LYR1

ADA



Studio

ADA CUSTOM OPTIONS



*Night lite requires a separate constant power source

The Studio's clarity of design is evident from every perspective. Precision machined of solid brass, Studio features a photo-sensitive LED nightlight that gently guides one's way. The glass is mouth-blown cased opal perfectly illuminated for grooming requirements.

DIMENSIONS

15.45"H x 3.25"W x 3.75"P

LAMPING / VOLTAGE

- [1] 60W Max Incandescent T10 Medium Base
635 Lumens, 2700K, 120V, dimming
- [1] 24W Fluorescent CFL 2G11 Base
1800 Lumens, 3000K, 120V, non-dimming

FINISH

Brushed Nickel, Polished Nickel, Polished Chrome

DIFFUSER

Cased Shiny Opal Glass

Customize this fixture to your specific needs

*Requires standard single gang jbox
installed in same orientation as fixture



Finish shown: Polished Chrome




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Studio

ADA CUSTOM OPTIONS



This fixture mounts independently from diffuser/backplate. The outlet box is located behind the diffuser.


Refer to the instructions for correct j-box placement and installation requirements.

*Night lite requires a separate constant power source
Review instruction manual

Fixture can be mounted facing UP or DOWN

Est. Weight: 5.96 lbs

MODEL
STUDIO SCONCE // STU1



DIMENSIONS

Height: 15.45
Width: 3.25
Projection: 3.75

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

Cased Shiny Opal Glass / CS

FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LED NIGHT LIGHT

[3] 0.8w, 24 Lumens
Sensor set to 2 lux

LAMPING / VOLTAGE


INCANDESCENT / INC
[1] 60W T10 Medium Base
120V, dimming

FLUORESCENT / FL


[1] FT 24W 2G11 Base, 120V
non-dimming

RELATED PRODUCTS


CIRC SCONCE // CIR1
ADA




CLIK SCONCE // CLK 1
ADA



REFLEX SCONCE // REF1
ADA




CIRC PENDANT // CIRP



Surface

ADA CUSTOM OPTIONS



The Surface sconce boasts a unique use of light distribution. The diffuser has an open bottom allowing light to reflect off of its glass base, creating a jewel like appearance. As always, this fixture is created from quality manufacturing and attention to design detail.

DIMENSIONS

21.00"H x 2.75"W x 3.10"P

LAMPING / VOLTAGE

[1] 24W Fluorescent CFL 2G11 Base

1800 Lumens, 3000K, 120V, non-dimming

[1] 18W LED Strip, 1360 Lumens, 3000K,

120V, dimming

*See Installation Instructions for recommended LED dimmers

FINISH

Brushed Nickel, Polished Nickel, Polished Chrome

DIFFUSER

Matte Opal Acrylic


Shiny Opal Acrylic Available

Customize this fixture to your specific needs

*Requires standard single gang jbox
installed in same orientation as fixture



Finish shown: Brushed Nickel




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Surface

ADA CUSTOM OPTIONS



*Requires standard single gang j-box installed in same orientation as fixture

Refer to the instructions for correct j-box placement and installation requirements.


Est. Weight: 7.08 lbs

<p>MODEL SURFACE SCONCE // SUR1</p>		<p>DIMENSIONS Height: 21.00 Width: 2.75 Projection: 3.10</p>	<p>FINISH Brushed Nickel / BN Polished Nickel / PN Polished Chrome / CH</p>	<p>LAMPING / VOLTAGE FLUORESCENT / FL [1] FT 24W 2G11 Base, 120V, non-dimming LED / LED [1] 18W LED Strip, 120V, dimming *See Installation Instructions for recommended LED dimmers</p>
<p>FIXTURE TYPE ADA Sconce / A</p>	<p>DIFFUSER Matte Opal Acrylic / MA Shiny Opal Acrylic / SA</p>			

<p>RELATED PRODUCTS</p>	<p>CIRC SCONCE // CIR1 ADA</p>	<p>KYOTO SCONCE // KYO 1 ADA</p>	<p>REFLEX SCONCE // REF1 ADA</p>	<p>DISTRICT 2 SCONCE // DIS2</p>
--------------------------------	------------------------------------	--------------------------------------	--------------------------------------	----------------------------------

Vertex

CUSTOM OPTIONS



The Sweeping lines of Vertex are formed of a uniquely extruded diamond tube joined to a jewel like faceted cup. It is available in a variety of finishes and can be specified in fluorescent, incandescent, or LED.

DIMENSIONS

19.95"H x 8.00"W x 10.20"P

LAMPING / VOLTAGE

- [1] 100W Max Incandescent Medium Base
1250 Lumens, 2700K, 120V, dimming
- [1] 18W Fluorescent CFL GX24q-2 Base
1200 Lumens, 3000K, 120V, non-dimming
- [1] 9.5W LED 60W Equiv. Medium Base
800 Lumens, 2700K, 120V, dimming

FINISH

Brushed Nickel, Polished Nickel, Oil Rubbed Bronze

DIFFUSER

White Shantung

Customize this fixture to your specific needs



Finish shown: Brushed Nickel




Ayre Architectural Lighting
14 Bristol Drive, Unit B
South Easton, MA 02375

Tel 508.205.0545
Toll Free 877.722.AYRE
Fax 508.205.0548

ayrelight.com

Vertex

CUSTOM OPTIONS




Refer to the instructions for correct j-box placement and installation requirements.

Est. Weight: 3.24 lbs

<p>MODEL VERTEX SCONCE // VER1</p>		<p>DIMENSIONS Height: 19.95 Width: 8.00 Projection: 10.20</p> <p>FIXTURE TYPE Sconce / S</p> <p>DIFFUSER White Shantung / WS</p>	<p>FINISH Brushed Nickel / BN Polished Nickel / PN Oil Rubbed Bronze / OB</p>	<p>LAMPING / VOLTAGE INCANDESCENT / INC [1] 100W Max, Medium Base, 120V, dimming</p> <p>FLUORESCENT / FL [1] CFL 18W GX24q-2 Base 120V, non-dimming</p> <p>LED / LED [1] 9.5W Medium Base 120V, dimming</p>
---	--	---	--	---

RELATED PRODUCTS CYGNUS SCONCE // CYG1 SIENA SCONCE // SIE2 METRO SCONCE // MET2 EURO SCONCE // EUR3



Technical Specifications

EXAMPLE ORDER CODE BUILD

Product codes are broken down into readable SKU's that describe the details of the fixture.




CLIK 2 SCONCE

REPRESENTED WITH:

- Shiny Opal Glass / **SO**
- Polished Chrome Finish / **CH**
- Fluorescent Lamping / **FL**

MODEL

CLIK SCONCE // CLK2



DIMENSIONS

Height: 9.55
Width: 3.95
Projection: 5.28

FIXTURE TYPE

Sconce / S

DIFFUSER

Shiny Opal Glass / SO

FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE

INCANDESCENT / INC
[1] 60W T10 Medium Base
120V, dimming

FLUORESCENT / FL

[1] CFL 26/32W GX24q-3
Base, 120V, non-dimming

LED / LED
[1] 3000K 120V

MODEL

FIXTURE TYPE

DIFFUSER

FINISH

LAMPING

CLK2

S

SO


CH

FL

ORDER CODE: CLK2-S-SO-CH-FL

Technical Specifications

MODEL
AXIS SCONCE // AXIS18



DIMENSIONS

Height: 18.00
Width: 2.60
Projection: 2.45

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

Matte Opal Acrylic / MA


FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE

LED / LED
[1] 24W LED Strip Module,
120V, dimming

MODEL
AXIS SCONCE // AXIS24



DIMENSIONS

Height: 24.00
Width: 2.60
Projection: 2.45

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

Matte Opal Acrylic / MA

FINISH


Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE

FLUORESCENT / FL
[1] 24W Fluorescent T5HO
Bipin Base, 120V
non-dimming

LED / LED
[1] 30W LED Strip Module,
120V, dimming

MODEL
AXIS SCONCE // AXIS30



DIMENSIONS

Height: 30.00
Width: 2.60
Projection: 2.45

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

Matte Opal Acrylic / MA


FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE

LED / LED
[1] 36W LED Strip Module,
120V, dimming

MODEL
AXIS SCONCE // AXIS36



DIMENSIONS

Height: 36.00
Width: 2.60
Projection: 2.45

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

Matte Opal Acrylic / MA


FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE

LED / LED
[1] 45W LED Strip Module,
120V, dimming

MODEL
AXIS SCONCE // AXIS48



DIMENSIONS

Height: 48.00
Width: 2.60
Projection: 2.45

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

Matte Opal Acrylic / MA

FINISH


Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE

LED / LED
[1] 60W LED Strip Module,
120V, dimming

MODEL

ARCADIA SCONCE // ARC1

**DIMENSIONS**

Height: 15.00
 Width: 8.13
 Projection: 3.90

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

White Shantung / WS

FINISH

Polished Aluminum / PA
 Brushed Aluminum / BA
 Oil Rubbed Bronze / OB

WOOD


Mahogany / MH
 Bamboo / BB
 Sapele / SP
 Ebony / EB

LAMPING / VOLTAGE

INCANDESCENT / INC
 [1] 60W Candelabra Base
 120V, dimming
 FLUORESCENT / FL
 [1] CFL 18/26/32W GX24q-3
 Base, 120V, non-dimming
 LED / LED
 [1] 12.5W Module, 3000K
 120V, non-dimming

MODEL

ARCADIA SCONCE // ARCD

**DIMENSIONS**

Height: 12.75
 Width: 15.00
 Projection: 3.90

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

White Shantung / WS

FINISH

Polished Aluminum / PA
 Brushed Aluminum / BA
 Oil Rubbed Bronze / OB

WOOD


Mahogany / MH
 Bamboo / BB
 Sapele / SP
 Ebony / EB

LAMPING / VOLTAGE

INCANDESCENT / INC
 [2] 60W Candelabra Base
 120V, dimming
 FLUORESCENT / FL
 [2] CFL 18/26/32W GX24q-3
 Base, 120V, non-dimming
 LED / LED
 [2] 12.5W Module, 3000K
 120V, non-dimming

MODEL

AZURA SCONCE // AZU1

**DIMENSIONS**

Height: 12.50
 Width: 8.13
 Projection: 3.90

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

White Shantung / WS

FINISH

Polished Aluminum / PA
 Brushed Aluminum / BA
 Oil Rubbed Bronze / OB

WOOD


Mahogany / MH
 Sapele / SP
 Ebony / EB

LAMPING / VOLTAGE

INCANDESCENT / INC
 [1] 60W Candelabra Base
 120V, dimming
 FLUORESCENT / FL
 [1] CFL 18/26/32W GX24q-3
 Base, 120V, non-dimming
 LED / LED
 [1] 12.5W Module, 3000K
 120V, non-dimming

MODEL

AZURA SCONCE // AZUD

**DIMENSIONS**

Height: 10.20
 Width: 15.00
 Projection: 3.90

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

White Shantung / WS

FINISH

Polished Aluminum / PA
 Brushed Aluminum / BA
 Oil Rubbed Bronze / OB

WOOD


Mahogany / MH
 Sapele / SP
 Ebony / EB

LAMPING / VOLTAGE

INCANDESCENT / INC
 [2] 60W Candelabra Base
 120V, dimming
 FLUORESCENT / FL
 [2] CFL 18/26/32W GX24q-3
 Base, 120V, non-dimming
 LED / LED
 [2] 12.5W Module, 3000K
 120V, non-dimming

MODEL

CAPRI SCONCE // CAP1

**DIMENSIONS**

Height: 13.75
 Width: 8.13
 Projection: 3.90

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

White Shantung / WS

FINISH

Polished Aluminum / PA
 Brushed Aluminum / BA
 Oil Rubbed Bronze / OB


WOOD

Mahogany / MH
 Bamboo / BB
 Sapele / SP
 Ebony / EB

LAMPING / VOLTAGE

INCANDESCENT / INC
 [1] 60W Candelabra Base
 120V, dimming
 FLUORESCENT / FL
 [1] CFL 18/26/32W GX24q-3
 Base, 120V, non-dimming
 LED / LED
 [1] 12.5W Module, 3000K
 120V, non-dimming

MODEL
CAPRI SCONCE // CAPD



DIMENSIONS

Height: 11.50
Width: 15.00
Projection: 3.90

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

White Shantung / WS

FINISH

Polished Aluminum / PA
Brushed Aluminum / BA
Oil Rubbed Bronze / OB

WOOD

Mahogany / MH
Bamboo / BB
Sapele / SP
Ebony / EB


LAMPING / VOLTAGE

INCANDESCENT / INC
[2] 60W Candelabra Base
120V, dimming

FLUORESCENT / FL
[2] CFL 18/26/32W GX24q-3
Base, 120V, non-dimming

LED / LED
[2] 12.5W Module, 3000K
120V, non-dimming

MODEL
DIA SCONCE // DIA1



DIMENSIONS

Height: 13.83
Width: 8.13
Projection: 3.90

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

White Shantung / WS

FINISH

Polished Aluminum / PA
Brushed Aluminum / BA
Oil Rubbed Bronze / OB

WOOD

Mahogany / MH
Bamboo / BB
Sapele / SP
Ebony / EB


LAMPING / VOLTAGE

INCANDESCENT / INC
[1] 60W Candelabra Base
120V, dimming

FLUORESCENT / FL
[1] CFL 18/26/32W GX24q-3
Base, 120V, non-dimming

LED / LED
[1] 12.5W Module, 3000K
120V, non-dimming

MODEL
DIA SCONCE // DIAD



DIMENSIONS

Height: 11.60
Width: 15.00
Projection: 3.90

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

White Shantung / WS

FINISH

Polished Aluminum / PA
Brushed Aluminum / BA
Oil Rubbed Bronze / OB

WOOD

Mahogany / MH
Bamboo / BB
Sapele / SP
Ebony / EB


LAMPING / VOLTAGE

INCANDESCENT / INC
[2] 60W Candelabra Base
120V, dimming

FLUORESCENT / FL
[2] CFL 18/26/32W GX24q-3
Base, 120V, non-dimming

LED / LED
[2] 12.5W Module, 3000K
120V, non-dimming

MODEL
HELIKA SCONCE // HEL1



DIMENSIONS

Height: 13.83
Width: 8.13
Projection: 3.90

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

White Shantung / WS

FINISH

Polished Aluminum / PA
Brushed Aluminum / BA
Oil Rubbed Bronze / OB


LAMPING / VOLTAGE

INCANDESCENT / INC
[1] 60W Candelabra Base
120V, dimming

FLUORESCENT / FL
[1] CFL 18/26/32W GX24q-3
Base, 120V, non-dimming

LED / LED
[1] 12.5W Module, 3000K
120V, non-dimming

MODEL
HELIKA SCONCE // HELD



DIMENSIONS

Height: 12.00
Width: 15.00
Projection: 3.90

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

White Shantung / WS

FINISH

Polished Aluminum / PA
Brushed Aluminum / BA
Oil Rubbed Bronze / OB

LAMPING / VOLTAGE


INCANDESCENT / INC
[2] 60W Candelabra Base
120V, dimming

FLUORESCENT / FL
[2] CFL 18/26/32W GX24q-3
Base, 120V, non-dimming

LED / LED
[2] 12.5W Module, 3000K
120V, non-dimming

MODEL

RIO SCONCE // RIO1

**DIMENSIONS**

Height: 15.50
 Width: 8.13
 Projection: 3.90

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

White Shantung / WS

FINISH


Polished Aluminum / PA
 Brushed Aluminum / BA
 Oil Rubbed Bronze / OB

LAMPING / VOLTAGE

INCANDESCENT / INC
 [1] 60W Candelabra Base
 120V, dimming
 FLUORESCENT / FL
 [1] CFL 18/26/32W GX24q-3
 Base, 120V, non-dimming
 LED / LED
 [1] 12.5W Module, 3000K
 120V, non-dimming

MODEL

RIO SCONCE // RIOD

**DIMENSIONS**

Height: 13.25
 Width: 15.00
 Projection: 3.90

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

White Shantung / WS

FINISH


Polished Aluminum / PA
 Brushed Aluminum / BA
 Oil Rubbed Bronze / OB

LAMPING / VOLTAGE

INCANDESCENT / INC
 [2] 60W Candelabra Base
 120V, dimming
 FLUORESCENT / FL
 [2] CFL 18/26/32W GX24q-3
 Base, 120V, non-dimming
 LED / LED
 [2] 12.5W Module, 3000K
 120V, non-dimming

MODEL

CIRC SCONCE // CIRI

**DIMENSIONS**

Height: 17.60
 Width: 3.95
 Projection: 3.97

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

Shiny Opal Glass / SO

FINISH


Brushed Nickel / BN
 Polished Nickel / PN
 Polished Chrome / CH

LAMPING / VOLTAGE

INCANDESCENT / INC
 [1] 60W T10 Medium Base
 120V, dimming
 FLUORESCENT / FL
 [1] FT 24W 2G11 Base, 120V
 non-dimming

MODEL

CIRC SCONCE // CIRDR

**DIMENSIONS**

Height: 3.95
 Width: 22.88
 Projection: 3.97

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

Shiny Opal Glass / SO

FINISH


Brushed Nickel / BN
 Polished Nickel / PN
 Polished Chrome / CH

LAMPING / VOLTAGE

INCANDESCENT / INC
 [2] 60W T10 Medium Base
 120V, dimming
 FLUORESCENT / FL
 [2] CFL 26W QUAD,
 GX24q-3 120V, non-dimming
 not ADA

MODEL

CIRC DUO R // CIRDR

**DIMENSIONS**

Height: 5.00
 Width: 19.88
 Projection: 3.97

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

Shiny Opal Glass / SO


FINISH

Brushed Nickel / BN
 Polished Nickel / PN
 Polished Chrome / CH

LAMPING / VOLTAGE

INCANDESCENT / INC
 [2] 60W T10 Medium Base
 120V, dimming
 FLUORESCENT / FL
 [2] FT 13W 2GX7 Base,
 120V, non-dimming

MODEL
CIRC PENDANT // CIRP



DIMENSIONS

Height: 60.00
Width: 6.00
Glass Dia: 4.50

FIXTURE TYPE

Pendant / P

DIFFUSER

Shiny Opal Glass / SO
Clear Glass / CL


FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE

INCANDESCENT / INC
[1] 100W Max, Medium Base, 120V, dimming
FLUORESCENT / FL
[1] FT 24W 2G11 Base, 120V non-dimming
LED / LED
[1] 9.5W Medium Base 120V, dimming

MODEL
CIRC PENDANT // CIRPL3



DIMENSIONS

Height: 84.00
Width: 32.00
Glass Dia: 4.50

CANOPY

Flat / F
Droplet / D

FIXTURE TYPE

Pendant / P

DIFFUSER

Shiny Opal Glass / SO
Clear Glass / CL


FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE

INCANDESCENT / INC
[3] 100W Max Medium Base, 120V, dimming
FLUORESCENT / FL
[3] FT 24W 2G11 Base, 120V non-dimming
LED / LED
[3] 9.5W Medium Base 120V, dimming

MODEL
CIRC PENDANT // CIRPL4



DIMENSIONS

Height: 84.00
Width: 32.00
Glass Dia: 4.50

CANOPY

Flat / F
Droplet / D

FIXTURE TYPE

Pendant / P

DIFFUSER

Shiny Opal Glass / SO
Clear Glass / CL


FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE

INCANDESCENT / INC
[4] 100W Max Medium Base, 120V, dimming
FLUORESCENT / FL
[4] FT 24W 2G11 Base, 120V, non-dimming
LED / LED
[4] 9.5W Medium Base 120V, dimming

MODEL
CIRC PENDANT // CIRPR3



DIMENSIONS

Height: 84.00
Width: 18.00
Glass Dia: 4.50

CANOPY

Flat / F
Droplet / D

FIXTURE TYPE

Pendant / P

DIFFUSER

Shiny Opal Glass / SO
Clear Glass / CL


FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE

INCANDESCENT / INC
[3] 100W Max, Medium Base, 120V, dimming
FLUORESCENT / FL
[3] FT 24W 2G11 Base, 120V non-dimming
LED / LED
[3] 9.5W Medium Base 120V, dimming

MODEL
NAKED PENDANT // NAKPS4



DIMENSIONS

Height: 84.00
Width: 32.00
Glass Dia: 7.00

CANOPY

Flat / F
Droplet / D

FIXTURE TYPE

Pendant / P

DIFFUSER

Clear Glass / CL

FINISH

Matte Black / MB
Brushed Nickel / BN
Polished Chrome / CH

CORDSET OPTIONS


Cork w/ White Cord
CK-WC
Black Cork w/ Black Cord
BC-BC

LAMPING / VOLTAGE

LED / LED
[4] 7W Halogen GU5.3 Base, 3000K, 120V, dimming

MODEL

CLIK SCONCE // CLK1

**DIMENSIONS**

Height: 9.10
 Width: 3.19
 Projection: 3.78

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

Shiny Opal Glass / SO

FINISH


Brushed Nickel / BN
 Polished Nickel / PN
 Polished Chrome / CH

LAMPING / VOLTAGE

INCANDESCENT / INC
 [1] 60W T10 Medium Base
 120V, dimming
 FLUORESCENT / FL
 [1] CFL 18W QUAD,
 GX24q-2 120V, non-dimming

MODEL

CLIK SCONCE // CLK2

**DIMENSIONS**

Height: 9.55
 Width: 3.95
 Projection: 5.28

FIXTURE TYPE

Sconce / S

DIFFUSER

Shiny Opal Glass / SO

FINISH


Brushed Nickel / BN
 Polished Nickel / PN
 Polished Chrome / CH

LAMPING / VOLTAGE

INCANDESCENT / INC
 [1] 60w T10 Medium Base
 120v, dimming
 FLUORESCENT / FL
 [1] CFL 26W GX24q-3 Base,
 120V, non-dimming
 LED / LED
 [1] 9.5W Medium Base
 120V, dimming

MODEL

CYGNUS SCONCE // CYG1

**DIMENSIONS**

Height: 19.55
 Width: 8.00
 Projection: 10.20

FIXTURE TYPE

Sconce / S

DIFFUSER

White Shantung / WS

FINISH


Brushed Nickel / BN
 Polished Nickel / PN
 Oil Rubbed Bronze / OB

LAMPING / VOLTAGE

INCANDESCENT / INC
 [1] 100W Max, Medium
 Base, 120V, dimming
 FLUORESCENT / FL
 [1] CFL 18W GX24q-2 Base
 120V, non-dimming
 LED / LED
 [1] 9.5W Medium Base
 120V, dimming

MODEL

DISTRICT SCONCE // DIS1

**DIMENSIONS**

Height: 13.71
 Width: 3.55
 Projection: 3.96

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

White Shantung / WS

FINISH


Brushed Nickel / BN
 Polished Nickel / PN
 Oil Rubbed Bronze / OB

LAMPING / VOLTAGE

INCANDESCENT / INC
 [1] 60W T10 Medium Base
 120V, dimming
 FLUORESCENT / FL
 [1] CFL 18W GX24q-2 Base
 120V, non-dimming

MODEL

DISTRICT SCONCE // DIS2

**DIMENSIONS**

Height: 23.00
 Width: 4.75
 Projection: 5.00

FIXTURE TYPE

Sconce / S

DIFFUSER

White Shantung / WS


FINISH

Brushed Nickel / BN
 Polished Nickel / PN
 Oil Rubbed Bronze / OB

LAMPING / VOLTAGE

INCANDESCENT / INC
 [1] 60W T10 Medium Base
 120V, dimming
 FLUORESCENT / FL
 [1] CFL 18W GX24q-2 Base
 120V, non-dimming
 LED / LED
 [1] 9.5W Medium Base
 120V, dimming

MODEL
EURO SCONCE // EUR1



DIMENSIONS

Height: 19.50
Width: 6.63
Projection: 3.96

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

White Shantung / WS

FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH
Oil Rubbed Bronze / OB


LAMPING / VOLTAGE

INCANDESCENT / INC
[1] 60W Candelabra Base
120V, dimming

FLUORESCENT / FL
[1] CFL 18W GX24q-2 Base
120V, non-dimming

LED / LED
[1] 7W Module, 120V,
non-dimming

MODEL
EURO SCONCE // EUR2



DIMENSIONS

Height: 19.00
Width: 7.00
Projection: 8.31

FIXTURE TYPE

Sconce / S

DIFFUSER

White Shantung / WS

FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH
Oil Rubbed Bronze / OB


LAMPING / VOLTAGE

INCANDESCENT / INC
[1] 100W Max, Medium
Base, 120V, dimming

FLUORESCENT / FL
[1] CFL 18W GX24q-2 Base
120V, non-dimming

LED / LED
[1] 9.5W Medium Base 120,
dimming

MODEL
EURO SCONCE // EUR3



DIMENSIONS

Height: 19.50
Width: 5.00
Projection: 5.88

FIXTURE TYPE

Sconce / S

DIFFUSER

Cased Matte Opal Glass / CM

FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH
Oil Rubbed Bronze / OB


LAMPING / VOLTAGE

INCANDESCENT / INC
[1] 100W Max, Medium
Base, 120V, dimming

FLUORESCENT / FL
[1] CFL 26/32W GX24q-3
Base, 120V, non-dimming

LED / LED
[1] 9.5W Medium Base
120V, dimming

MODEL
ICON SCONCE // ICON18



DIMENSIONS

Height: 18.00
Width: 2.60
Projection: 2.35

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

Matte Opal Acrylic / MA


FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE

LED / LED
[1] 21W LED Strip Module,
120V, dimming

MODEL
ICON SCONCE // ICON24



DIMENSIONS

Height: 24.00
Width: 2.60
Projection: 2.35

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

Matte Opal Acrylic / MA

FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH


LAMPING / VOLTAGE

FLUORESCENT / FL
[1] 24W Fluorescent T5HO
Bipin Base, 120V
non-dimming

LED / LED
[1] 30W LED Strip Module,
120V, dimming

MODEL

ICON SCONCE // ICON30

**DIMENSIONS**

Height: 30.00
 Width: 2.60
 Projection: 2.35

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

Matte Opal Acrylic / MA

FINISH


Brushed Nickel / BN
 Polished Nickel / PN
 Polished Chrome / CH

LAMPING / VOLTAGE

LED / LED
 [1] 36W LED Strip Module,
 120V, dimming

MODEL

ICON SCONCE // ICON36

**DIMENSIONS**

Height: 36.00
 Width: 2.60
 Projection: 2.35

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

Matte Opal Acrylic / MA

FINISH


Brushed Nickel / BN
 Polished Nickel / PN
 Polished Chrome / CH

LAMPING / VOLTAGE

LED / LED
 [1] 45W LED Strip Module,
 120V, dimming

MODEL

ICON SCONCE // ICON48

**DIMENSIONS**

Height: 48.00
 Width: 2.60
 Projection: 2.35

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

Matte Opal Acrylic / MA

FINISH


Brushed Nickel / BN
 Polished Nickel / PN
 Polished Chrome / CH

LAMPING / VOLTAGE

LED / LED
 [1] 60W LED Strip Module,
 120V, dimming

MODEL

KYOTO SCONCE // KYO1

**DIMENSIONS**

Height: 8.70
 Width: 5.00
 Projection: 3.86

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

White Shantung / WS

FINISH

Brushed Nickel / BN
 Polished Nickel / PN
 Oil Rubbed Bronze / OB

LAMPING / VOLTAGE


INCANDESCENT / INC
 [1] 60W Candelabra Base
 120V, dimming

 FLUORESCENT / FL
 [1] CFL 18W GX24q-2 Base
 120V, non-dimming

 LED / LED
 [1] 12.5W Module, 3000K
 120V, non-dimming

MODEL

KYOTO SCONCE // KYO2

**DIMENSIONS**

Height: 10.20
 Width: 7.25
 Projection: 3.86

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

White Shantung / WS

FINISH

Brushed Nickel / BN
 Polished Nickel / PN
 Oil Rubbed Bronze / OB


LAMPING / VOLTAGE

INCANDESCENT / INC
 [1] 60W Candelabra Base
 120V, dimming

 FLUORESCENT / FL
 [1] CFL 18W GX24q-2 Base
 120V, non-dimming

 LED / LED
 [1] 12.5W Module, 3000K
 120V, non-dimming

MODEL
LITEBOX FLUSHMOUNT //
LBF16



DIMENSIONS
Height: 7.25
Diameter: 16.40

FIXTURE TYPE
Flushmount / F

DIFFUSER
Shiny Opal Acrylic / SA

FINISH
Brushed Nickel / BN
Polished Nickel / PN
Oil Rubbed Bronze / OB


CROSSBARS
CROSSBARS / C
NO CROSSBARS / N

LAMPING / VOLTAGE
INCANDESCENT / INC
[2] 100W Max Medium
Base, 120V, dimming

FLUORESCENT / FL
[2] CFL 18/26/32W GX24q-3
Base, 120V, non-dimming

LED / LED
[2] 9.5W Medium Base
120V, dimming

MODEL
LITEBOX PENDANT //
LBP16



DIMENSIONS
Height: 16.00
Diameter: 16.40

FIXTURE TYPE
Pendant / P

DIFFUSER
Shiny Opal Acrylic / SA

FINISH
Brushed Nickel / BN
Polished Nickel / PN
Oil Rubbed Bronze / OB


CROSSBARS
CROSSBARS / C
NO CROSSBARS / N

LAMPING / VOLTAGE
INCANDESCENT / INC
[2] 100W Max Medium
Base, 120V, dimming

FLUORESCENT / FL
[2] CFL 18/26/32W GX24q-3
Base, 120V, non-dimming

LED / LED
[2] 9.5W Medium Base
120V, dimming

MODEL
LITEBOX FLUSHMOUNT //
LBF24



DIMENSIONS
Height: 9.00
Diameter: 24.40

FIXTURE TYPE
Flushmount / F

DIFFUSER
Shiny Opal Acrylic / SA

FINISH
Brushed Nickel / BN
Polished Nickel / PN
Oil Rubbed Bronze / OB


CROSSBARS
CROSSBARS / C
NO CROSSBARS / N

LAMPING / VOLTAGE
INCANDESCENT / INC
[3] 100W Max Medium
Base, 120V, dimming

FLUORESCENT / FL
[3] CFL 18/26/32W GX24q-3
Base, 120V, non-dimming

LED / LED
[3] 9.5W Medium Base
120V, dimming

MODEL
LITEBOX PENDANT //
LBP24



DIMENSIONS
Height: 24.00
Width: 24.40

FIXTURE TYPE
Pendant / P

DIFFUSER
Shiny Opal Acrylic / SA

FINISH
Brushed Nickel / BN
Polished Nickel / PN
Oil Rubbed Bronze / OB


CROSSBARS
CROSSBARS / C
NO CROSSBARS / N

LAMPING / VOLTAGE
INCANDESCENT / INC
[3] 100W Max Medium
Base, 120V, dimming

FLUORESCENT / FL
[3] CFL 18/26/32W GX24q-3
Base, 120V, non-dimming

LED / LED
[3] 9.5W Medium Base
120V, dimming

MODEL
LITEBOX OPEN PENDANT //
LOP24



DIMENSIONS
Height: 30.00
Dia: 24.00

FIXTURE TYPE
Pendant / P


DIFFUSER
Metallique / MQ
Organza Silver / GS
Organza Black / GB
Mirrored Mylar / MM

FINISH
Polished Nickel / PN
Polished Chrome / CH
Shiny Black Nickel / SBN

LAMPING / VOLTAGE
INCANDESCENT / INC
[5] 40W Medium Base
120V, dimming

[5] 4W Medium Base
120V, dimming

MODEL
LUXE DUO // LUXD



DIMENSIONS

Height: 15.45
Width: 3.25
Projection: 3.75

FIXTURE TYPE

ADA Sconce / A
FL version is not ADA

DIFFUSER

Shiny Opal Glass / SO


FINISH

Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE

INCANDESCENT / INC
[2] 100W Medium Base
120V, dimming
FLUORESCENT / FL
[2] CFL 26W GX24q-3 Base
120V, non-dimming not ADA
LED / LED
[2] 9.5W Medium Base
120V, dimming

MODEL
LYRIC PENDANT // LYR12



DIMENSIONS

Height: 24.00
Diameter: 12.00

FIXTURE TYPE

Pendant / P

DIFFUSER

Shiny Opal Acrylic / SA


FINISH

Brushed Nickel / BN
Polished Nickel / PN
Oil Rubbed Bronze / OB

LAMPING / VOLTAGE

INCANDESCENT / INC
[1] 100W Max Medium
Base, 120V, dimming
FLUORESCENT / FL
[1] CFL 18/26/32W GX24q-3
Base, 120V, non-dimming
LED / LED
[1] 9.5W Medium Base
120V, dimming

MODEL
LYRIC PENDANT // LYR24



DIMENSIONS

Height: 24.00
Width: 24.00

FIXTURE TYPE

Pendant / P

DIFFUSER

Shiny Opal Acrylic / SA


FINISH

Brushed Nickel / BN
Polished Nickel / PN
Oil Rubbed Bronze / OB

LAMPING / VOLTAGE

INCANDESCENT / INC
[2] 100W Max Medium
Base, 120V, dimming
FLUORESCENT / FL
[2] CFL 18/26/32W GX24q-3
Base, 120V, non-dimming
LED / LED
[2] 9.5W Medium Base
120V, dimming

MODEL
LYRIC SCONCE // LYR1



DIMENSIONS

Height: 8.00
Width: 10.87
Projection: 3.91

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

Shiny Opal Acrylic / SA


FINISH

Brushed Nickel / BN
Polished Nickel / PN
Oil Rubbed Bronze / OB

LAMPING / VOLTAGE

INCANDESCENT / INC
[1] 60W Candelabra Base
120V, dimming
FLUORESCENT / FL
[1] CFL 18/26/32W GX24q-3
Base, 120V, non-dimming
LED / LED
[1] 12.5W Module, 3000K
120V, non-dimming

MODEL
METRO SCONCE // MET1



DIMENSIONS

Height: 19.60
Width: 6.60
Projection: 3.98

FIXTURE TYPE

ADA Sconce / A

DIFFUSER

White Shantung / WS


FINISH

Brushed Nickel / BN
Polished Nickel / PN
Oil Rubbed Bronze / OB

LAMPING / VOLTAGE

INCANDESCENT / INC
[1] 60W Medium Base
120V, dimming
FLUORESCENT / FL
[1] CFL 18W GX24q-2 Base
120V, non-dimming
LED / LED
[1] 7W Module, 120V,
non-dimming

MODEL
METRO SCONCE // MET2



DIMENSIONS
Height: 18.95
Width: 7.00
Projection: 7.75

FIXTURE TYPE
Sconce / S

DIFFUSER
White Shantung / WS


FINISH
Brushed Nickel / BN
Polished Nickel / PN
Oil Rubbed Bronze / OB

LAMPING / VOLTAGE
INCANDESCENT / INC
[1] 100W Max Medium Base
120V, dimming

FLUORESCENT / FL
[1] CFL 18W GX24q-2 Base
120V, non-dimming

LED / LED
[1] 9.5W Medium Base
120V, dimming

MODEL
NAKED PENDANT // NAK1



DIMENSIONS
Height: 60.00
Width: 6.00
Glass Dia: 7.00

FIXTURE TYPE
Pendant / P


DIFFUSER
Clear Glass / CL

FINISH
Matte Black / MB
Brushed Nickel / BN
Polished Chrome / CH

CORDSET OPTIONS
Cork w/ White Cord
CK-WC
Black Cork w/ Black Cord
BC-BC

LAMPING / VOLTAGE
LED / LED
[1] 7W 3000K Halogen
GU5.3 Base, 120V, dimming

MODEL
NAKED PENDANT //
NAKPL3



DIMENSIONS
Height: 84.00
Width: 32.00
Glass Dia: 7.00

CANOPY
Flat / F
Droplet / D

FIXTURE TYPE
Pendant / P


DIFFUSER
Clear Glass / CL

FINISH
Matte Black / MB
Brushed Nickel / BN
Polished Chrome / CH

CORDSET OPTIONS
Cork w/ White Cord
CK-WC
Black Cork w/ Black Cord
BC-BC

LAMPING / VOLTAGE
LED / LED
[3] 7W Halogen GU5.3
Base, 3000K, 120V,
dimming

MODEL
NAKED PENDANT //
NAKPL4



DIMENSIONS
Height: 84.00
Width: 32.00
Glass Dia: 7.00

CANOPY
Flat / F
Droplet / D

FIXTURE TYPE
Pendant / P


DIFFUSER
Clear Glass / CL

FINISH
Matte Black / MB
Brushed Nickel / BN
Polished Chrome / CH

CORDSET OPTIONS
Cork w/ White Cord
CK-WC
Black Cork w/ Black Cord
BC-BC

LAMPING / VOLTAGE
LED / LED
[4] 7W Halogen GU5.3
Base, 3000K, 120V,
dimming

MODEL
NAKED PENDANT //
NAKPR3



DIMENSIONS
Height: 84.00
Width: 32.00
Glass Dia: 7.00

CANOPY
Flat / F
Droplet / D


FIXTURE TYPE
Pendant / P

DIFFUSER
Clear Glass / CL

FINISH
Matte Black / MB
Brushed Nickel / BN
Polished Chrome / CH

CORDSET OPTIONS
Cork w/ White Cord
CK-WC
Black Cork w/ Black Cord
BC-BC

LAMPING / VOLTAGE
LED / LED
[3] 7W Halogen GU5.3
Base, 3000K, 120V,
dimming

MODELNAKED PENDANT //
NAKPS4**DIMENSIONS**Height: 84.00
Width: 32.00
Glass Dia: 7.00**CANOPY**Flat / F
Droplet / D**FIXTURE TYPE**


Pendant / P

DIFFUSER

Clear Glass / CL

FINISHMatte Black / MB
Brushed Nickel / BN
Polished Chrome / CH**CORDSET OPTIONS**Cork w/ White Cord
CK-WC
Black Cork w/ Black Cord
BC-BC**LAMPING / VOLTAGE**LED / LED
[4] 7W Halogen GU5.3
Base, 3000K, 120V,
dimming**MODEL**

PARK SCONCE // PAR1

**DIMENSIONS**Height: 13.25
Width: 5.20
Projection: 5.90**FIXTURE TYPE**

Sconce / S

DIFFUSER

Cased Shiny Opal / CS

FINISHBrushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH
Oil Rubbed Bronze / OB**LAMPING / VOLTAGE**INCANDESCENT / INC
[1] 100W Medium Base
120V, dimming
FLUORESCENT / FL
[1] CFL 26W GX24q-3 Base
120V, non-dimming
LED / LED
[1] 9.5W Medium Base
120V, dimming**MODEL**

PETAL PENDANT // PET1

**DIMENSIONS**Height: 60.00
Diameter: 6.00**FIXTURE TYPE**


Pendant / P

DIFFUSER

Shiny Opal Glass / SO

FINISHBrushed Nickel / BN
Polished Nickel / PN
Oil Rubbed Bronze / OB**LAMPING / VOLTAGE**INCANDESCENT / INC
[1] 60W T10 Medium Base
120V, dimming
FLUORESCENT / FL
[1] FT 18W 2G11 Base, 120V
non-dimming**MODEL**

PETAL PENDANT // PETT

**DIMENSIONS**Height: 60.00
Width: 9.00**FIXTURE TYPE**


Pendant / P

DIFFUSER

Shiny Opal Glass / SO

FINISHBrushed Nickel / BN
Polished Nickel / PN
Oil Rubbed Bronze / OB**LAMPING / VOLTAGE**INCANDESCENT / INC
[3] 60W T10 Medium Base
120V, dimming
FLUORESCENT / FL
[3] FT 18W 2G11 Base, 120V
non-dimming**MODEL**

REFLEX SCONCE // REF1

**DIMENSIONS**Height: 14.45
Width: 3.95
Projection: 3.56**FIXTURE TYPE**


ADA Sconce / A

DIFFUSER

Cased Shiny Opal Glass / CS

FINISHBrushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH**LAMPING / VOLTAGE**INCANDESCENT / INC
[1] 60W T10 Medium Base
120V, dimming
FLUORESCENT / FL
[1] FT 18W 2G11 Base, 120V
non-dimming

MODEL
SIENA SCONCE // SIE1



DIMENSIONS
Height: 15.88
Width: 8.00
Projection: 4.00

FIXTURE TYPE
ADA Sconce / A

DIFFUSER
White Shantung / WS


FINISH
Brushed Nickel / BN
Polished Nickel / PN
Oil Rubbed Bronze / OB

LAMPING / VOLTAGE
INCANDESCENT / INC
[1] 60W Candelabra Base
120V, dimming

FLUORESCENT / FL
[1] CFL 18W GX24q-2 Base
120V, non-dimming

LED / LED
[1] 12.5W Module, 3000K
120V, non-dimming

MODEL
SIENA SCONCE // SIE2



DIMENSIONS
Height: 14.75
Width: 6.54
Projection: 7.30

FIXTURE TYPE
Sconce / S

DIFFUSER
White Shantung / WS


FINISH
Brushed Nickel / BN
Polished Nickel / PN
Oil Rubbed Bronze / OB

LAMPING / VOLTAGE
INCANDESCENT / INC
[1] 100W Max Medium Base
120V, dimming

FLUORESCENT / FL
[1] CFL 18W GX24q-2 Base
120V, non-dimming

LED / LED
[1] 9.5W Medium Base
120V, dimming

MODEL
SIENA SCONCE // SIED



DIMENSIONS
Height: 15.87
Width: 14.00
Projection: 4.00

FIXTURE TYPE
ADA Sconce / A

DIFFUSER
White Shantung / WS

FINISH
Brushed Nickel / BN
Polished Nickel / PN
Oil Rubbed Bronze / OB


LAMPING / VOLTAGE
INCANDESCENT / INC
[2] 60W Candelabra Base
120V, dimming

FLUORESCENT / FL
[2] CFL 18W GX24q-2 Base
120V, non-dimming

LED / LED
[2] 12.5W Module, 3000K
120V, non-dimming

MODEL
STUDIO SCONCE // STU1

*Night lite requires a separate
constant power source



DIMENSIONS
Height: 15.45
Width: 3.25
Projection: 3.75

FIXTURE TYPE
ADA Sconce / A

DIFFUSER
Cased Shiny Opal Glass / CS


FINISH
Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LED NIGHT LIGHT
[3] 0.8w, 24 Lumens
Sensor set to 2 lux

LAMPING / VOLTAGE
INCANDESCENT / INC
[1] 60W T10 Medium Base
120V, dimming

FLUORESCENT / FL
[1] FT 24W 2G11 Base, 120V
non-dimming

MODEL
SURFACE SCONCE // SUR1



DIMENSIONS
Height: 21.00
Width: 2.75
Projection: 3.10

FIXTURE TYPE
ADA Sconce / A

DIFFUSER
Matte Opal Acrylic / MA
Shiny Opal Acrylic / SA


FINISH
Brushed Nickel / BN
Polished Nickel / PN
Polished Chrome / CH

LAMPING / VOLTAGE
FLUORESCENT / FL
[1] FT 24W 2G11 Base, 120V
non-dimming

LED / LED
[1] 18W LED Module,
120V, dimming

MODEL

VERTEX SCONCE // VER1

**DIMENSIONS**

Height: 19.95

Width: 8.00

Projection: 10.20

FIXTURE TYPE

Sconce / S

DIFFUSER

White Shantung / WS

FINISH

Brushed Nickel / BN

Polished Nickel / PN

Oil Rubbed Bronze / OB

LAMPING / VOLTAGE

INCANDESCENT / INC

[1] 100W Max Medium Base
120V, dimming

FLUORESCENT / FL

[1] CFL 18W GX24q-2 Base
120V, non-dimming

LED / LED

[1] 9.5W Medium Base
120V, dimming

Index

FIXTURE NAME	MODEL	PAGE	TECH PAGE	FIXTURE NAME	MODEL	PAGE	TECH PAGE
Axis 18	AXIS18	15-16	124	Litebox 16" Flushmount	LBF16	77-78	132
Axis 24	AXIS24	17-18	124	Litebox 16" Pendant	LBP16	79-80	132
Axis 30	AXIS30	19-20	124	Litebox 24" Flushmount	LBF24	81-82	132
Axis 36	AXIS36	21-22	124	Litebox 24" Pendant	LBP24	83-84	132
Axis 48	AXIS48	23-24	124	Litebox Open Pendant	LOP24	85-86	132
Boutique Arcadia Single	ARC1	25-26	125	Luxe Duo	LUXD	87-88	133
Boutique Arcadia Double	ARCD	26	125	Lyric 12" Pendant	LYR12	89-90	133
Boutique Azura Single	AZU1	27-28	125	Lyric 24" Pendant	LYR24	91-92	133
Boutique Azura Double	AZUD	28	125	Lyric Sconce	LYR1	93-94	133
Boutique Capri Single	CAP1	29-30	125	Metro 1	MET1	95-96	133
Boutique Capri Double	CAPD	30	126	Metro 2	MET2	97-98	134
Boutique Dia Single	DIA1	31-32	126	Naked Pendant	NAK1	99-100	134
Boutique Dia Double	DIAD	32	126	Naked Multi Pendant	NAKPL3	101-102	134
Boutique Helika Single	HEL1	33-34	126	Naked Multi Pendant	NAKPL4	101-102	134
Boutique Helika Double	HELD	34	126	Naked Multi Pendant	NAKPR3	101-102	134
Boutique Rio Single	RIO1	35-36	127	Naked Multi Pendant	NAKPS4	101-102	135
Boutique Rio Double	RIOD	36	127	Park	PAR1	103-104	135
Circ	CIR1	37-38	127	Petal Single Pendant	PET1	105-106	135
Circ Duo	CIRD	39-40	127	Petal Triple Pendant	PETT	107-108	135
Circ Duo R	CIRCDR	41-42	127	Reflex	REF1	109-110	135
Circ Pendant	CIRP	43-44	128	Siena 1	SIE1	111-112	136
Circ Multi Pendant	CIRPL3	45-46	128	Siena 2	SIE2	113-114	136
Circ Multi Pendant	CIRPL4	45-46	128	Siena Duo	SIED	115-116	136
Circ Multi Pendant	CIRPR3	45-46	128	Studio	STU1	117-118	136
Circ Multi Pendant	CIRPS4	45-46	128	Surface	SUR1	119-120	136
Clik 1	CLK1	47-48	129	Vertex	VER1	121-122	137
Clik 2	CLK2	49-50	129				
Cygnus	CYG1	51-52	129				
District 1	DIS1	53-54	129				
District 2	DIS2	55-56	129				
Euro 1	EUR1	57-58	130				
Euro 2	EUR2	59-60	130				
Euro 3	EUR3	61-62	130				
Icon 18	ICON18	63-64	130				
Icon 24	ICON24	65-66	130				
Icon 30	ICON30	67-68	131				
Icon 36	ICON36	69-70	131				
Icon 48	ICON48	71-72	131				
Kyoto 1	KYO1	73-74	131				
Kyoto 2	KYO2	75-76	131				

Terms and Conditions

TERMS OF SALE: All orders require a 50% deposit. All custom orders require a signed purchase order, a 50% non-refundable deposit, and signed drawings in order to begin production. The balance is due prior to shipping. Custom orders are not subject to cancellation and are non-returnable.

FREIGHT: Freight charges are F.O.B. South Easton, MA. No freight allowance. On Freight collect orders; the option of carrier is at the discretion of AYRE Lighting Group, Inc. unless specified.

MERCHANDISE RETURNS: No merchandise may be returned without prior authorization. Custom product is non-returnable. Returns for credit must be returned within 30 days of receipt in their original factory packaging and in re-sellable condition. Merchandise must be packed properly and shipped prepaid and insured via UPS or by another authorized AYRE Lighting Group, Inc. shipping agent at the customer's expense. All merchandise to be returned must be properly identified to prevent loss in shipment. A restocking charge of 25% will be made on all authorized returns for credit.

WARRANTY: AYRE Lighting Group, Inc. warrants that its products are free from imperfections in materials and workmanship for a period of one year, from the date of purchase. AYRE Lighting Group's obligation is limited to repair or replacement only after written approval has been granted. This warranty shall not apply to products that have been changed or repaired without AYRE Lighting Group's knowledge or approval. AYRE Lighting Group, Inc. is not liable for costs incurred in the installation of warranted products. This warranty is in lieu of all other express or implied warranties, including but not limited to any implied warranty of product merchantability. AYRE Lighting Group, Inc. is not responsible for costs associated with removal or reinstallation of the product

LAMPING: Not included unless specified.

CLAIMS: All fixtures are shipped free of defects. All packages should be inspected upon receipt. If there are any claims of loss or damage associated with your shipment, please notify AYRE Lighting Group, Inc. immediately. All claims must be filed directly with AYRE Lighting Group, Inc. **No Claims will be accepted after 30 days.** Please retain all packaging materials and damaged merchandise for inspection by the freight company.

DISCONTINUED PRODUCT: AYRE Lighting Group, Inc., reserves the right to discontinue product. AYRE will attempt to give adequate notice. At its discretion, AYRE Lighting Group, Inc. may be able to produce discontinued product upon written request. Please consult the customer service department for product availability, pricing and delivery information.

ADA: All fixtures that are designated as ADA in specification pages meet the requirements of the American Disabilities Act section 4.4.1. The American with Disabilities Act states that objects projecting from the wall between 27" and 80" above the floor shall protrude a maximum of 4" into corridors, halls and passageways.

UL/ETL: Refer to individual product model specifications for UL or ETL certification.

Design specifications on standard catalog items are subject to change without notice.

